

OFFICE OF THE REGULATED MARKET COMMITTEE KANTABANJI

AT/Po- Kantabanji , Dist. Balangir , Pin- 767039

(Email:- rmckantabanji118@gmail.com)

Latter No. 37

Date - 21.11.2019

Tender Call Notice

1. The Sub Collector Titilagarh, Cum-Chairman, Regulated Market Committee Kantabanji, Invites rate quoted Bid in Sealed Cover from reputed manufacture/authorized registered dealers for supply, installation and commissioning along with AMC charges of grading equipments viz (i) Electronic Weighing scale 300kg capacity (With printer facility) (ii) Mini grader (iii) Analyses box/kit (iv) Sample divider (boerner type) (v) Set of sieves (vi) Moisture meter according to the specification communicated vide letter No. 2212 Dt. 01.11.2019 of OSAM Board and Test weight of 20kg (per piece), Temporary rest shed (tent 16ft x 16ft) and pocket Weighing scale. The bid in sealed envelope should be reached in the office of the RMC Kantabanji by Regd. post/ Courier/ person on or before 29.11.2019 up to 12.30pm and same will be opened at 2pm on dated 29.11.2019 at the RMC office kantabanji in presence of tenderer or their representative.
2. The bidder should be an original manufacture or authorized dealer of the equipments/ items stated above and capable of providing adequate & timely after sales service. Necessary proof towards bidder being a manufacturer or it's authorized dealer should be submitted along with Bid.
3. The Bidder should have successfully supplied these products for agricultural marketing appliances in Odisha or in any other State/ Institution/ Organisation.
4. The Bidder should submit attested Xerox copies of valid manufacturer/ Dealership Registration certificates, GSTIN, GST clearance certificate & PAN card and authorization certificate (if not an original manufacturer) etc along with the Bids.
5. The Bidder should enclose detailed write-up along with necessary technical specification/ document/ drawings and designs for all the makes & models in the Bid.
6. The Tenderers/ Bidders having ISO certification shall be given preference over others, for which bidder may submit documentary evidence towards same along with his bid.
7. No conditional offer/ undertaking will be accepted.
8. All exemption will be strictly applicable as per rules of Govt. of Odisha.
9. **Eligibility Criteria:-** In case of electronic weighing scale 300kg capacity it is of with printer facility only . The bidder should be an original manufacturer and must have supplied weighing scale 300kg capacity at least 15 nos. of different RMCs under OSAM Board, Bhubaneswar. This is also mandatory for local MSME units . It should be dually verified and stamped by legal metrology department, Govt. of Odisha for the first Year.
10. In case of test weight of 20kg each bidder must have supplied minimum 10 ton each to at least 4 RMCs and must enclose the purchase order along with quotation.

11. All price quoted should be inclusive of all taxes and delivered at RMC destination point.
12. All instrument should be covered twelve months of warranty.
13. The bidder should quote the AMC rate for each item for three consecutive years after success full complementation of warranty period.
14. Delivery schedule should be of 7 days after obtaining supply order from our side.
15. Legal Metrology license like Manufacturing, Dealership, Repairing and model approval issued directorate of Legal Metrology department, Govt. of Odisha should be attached with tender bid.
16. Bidder should depute there representative for demonstration of different instruments on 29.11.2019 at 12.30pm.
17. The authority reserves the right to cancel/reject any or all the tenders with assigning any reasons thereof. For more details contact vide e-mail rmckantabanji118@galim.com and also visit Website: www.balangir.nic.in

Sd/-
Sub Collector Titilagarh,
Cum-Chairman, RMC, kantabanji



ODISHA STATE AGRICULTURAL MARKETING BOARD

Plot No.1800(P), Baramunda, Post-Khandagiri, Near Indian Oil Petrol Pump Bhubaneswar
Ph. No.0674-2351311, Fax : 0674-2351316, Email : osamboard99@yahoo.com, Website : osamboard.org

Letter No : 22.12.19 (66)
G & S - 2/19

Dated : 21.11.19

To

The Chairpersons,
All RMCs in the State.

Sub :- Procurement of Grading Equipment / Tarpaulin/ Polythene at Market
Yard / PPCs for carrying out Paddy Procurement Operation during KMS
2019 -20.


Ref : - Letter No. 15063 / BBSR dt. 01.10.2019 of Commissioner – Cum –
Secretary to Govt. Food Supplies and Consumer Welfare Deptt.
addressed to all Collectors.

Sir,

With reference to the decision taken in the Food and procurement policy meeting addressed to all Collectors of the districts for the KMS 2019 -20 where in it has been clearly mentioned in the para 10.4 that the Collectors will assess the requirement of equipment at market yards/ PPCs for carrying out procurement operation. The purchase orders for grading equipment may be placed at the District level and funds shall be provided by the concerned RMCs. Since procurement activities going to start from the coming month, RMCs are instructed to undertake procurement of grading equipment through GEM if available/ through tender observing due procedure as per the specification communicated to all RMCs vide letter no 3252(66) dt. 30.10.2018 (copy enclosed) AS regards purchase of HDPE tarpaulin, RMCs are also instructed to procure the same from valid rate contract of Director, Export Promotion and Marketing (DEP&M) Odisha Bhubaneswar as per their approved specification and rate contract of HDPE Tarpaulin communicated to all RMCs vide this office letter no. 3252 (66) dt. 30.10.2018. Before going to purchase the fresh stock, the availability of previous stock of each item must be taken into consideration. Soon after receipt of the stock, copy of the bills with stock entry certificate there in shall have to be furnished to OSAM Board for verification.

Encl: 1 to 5 pages

Yours faithfully,


Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar

Memo No 2213

Dated 01-11-19

Copy forwarded to all Collectors in the State for information and necessary action.

De. De.
Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar

Memo No 2214

Dated 01-11-19

Copy forwarded to Private Secretary to Hon'ble Chairman, OSAM Board for favour of kind information of Hon'ble Chairman.

De. De.
Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar

Memo No 2215

Dated 01-11-19

Copy forwarded to Private Secretary to Commissioner - Cum - Secretary to Govt. Cooperation Deptt. for favour of kind information of Commissioner - Cum - Secretary.

De. De.
Director Agricultural Marketing
- Cum - Member Secretary
OSAM Board, Bhubaneswar



ODISHA STATE AGRICULTURAL MARKETING BOARD

Plot No.1800(P), Baramunda, Post-Khandagiri, Near Indian Oil Petrol Pump Bhubaneswar
Ph. No.0674-2351311, Fax : 0674- 2351316, Email : osamboard99@yahoo.com, Website : osamboard.org

Letter No.3252(66)

Mkt-III-94/2017-18

Date.30.10.18

To

The Chairpersons,
All Regulated Marketing Committees in the State.

Sub: Procurement of equipments for quality testing, weighment and other materials by RMCs for paddy procurement.

Ref: Letter No 2997 dated.06.10.2018.

Madam / Sir,

With reference to the subject cited above in the letter under reference, requirements of various equipments, materials for safe storage of goods and weighments were called from different RMCs, after the approval of the same by the District Level Purchase Committee under the Collector. Information in this regard has been received only from some RMCs, and other RMCs are yet to submit the information.

This information is being obtained to consider whether centralized procurement at the level of OSAM Board may be done, on which further decision has not yet been taken. However, this specifications for the equipments / materials have already been finalized and the same are enclosed for your reference.

In the mean time, procurement activities are going to start from the coming month and some RMCs have asked for clarification in this regard. Almost all the RMCs have reported some stock of such equipments and materials already available to take care of initial requirements for paddy procurement operations. However, in order to avoid any dislocation, the RMCs are instructed that they may undertake procurement of equipments and materials meeting the specifications enclosed to take care of the immediate requirements, if any. However, instructions given with regard to stock entries, due verification and other aspects to ensure procurement of good quality equipments / materials, as issued in this office letter No.2997 dated.06.10.2018 must be followed scrupulously, failing which appropriate action may be initiated against the Secretary of RMC concerned.

Encl: 1 to 3 pages

Yours faithfully,

[Signature]
29/10/18
Director, Agricultural Marketing-Cum-
Member Secretary, OSAM Board

Memo No. 3253 /Date 30.10.18
Copy forwarded to all Collectors in the State for information and necessary action.

[Signature]
29/10/18

Director, Agricultural Marketing-Cum-Member Secretary, OSAM Board

Memo No. 3254 /Date 30.10.18
Copy forwarded to Private Secretary to Hon'ble Chairman, OSAM Board for favour of kind information of Hon'ble Chairman.

[Signature]

Director, Agricultural Marketing-Cum-Member Secretary, OSAM Board.

Memo No. 3255 /Date 30.10.18
Copy forwarded to Private Secretary to Commissioner-cum-Secretary to Government, Cooperation Department for favour of kind information of Commissioner-Cum-Secretary.

[Signature]

Director, Agricultural Marketing-Cum-Member Secretary, OSAM Board

(7)

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 300Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 30Kg.
2	Weighing Capacity – 300 Kg. maximum, 1 Kg. minimum e=50 g.(least count)
3	Accuracy classes – Class-III
4	Platform size – 60 cm x 60 cm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer.
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 600 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO.

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 600Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 40 Kg. and above
2	Weighing Capacity – 600 Kg. maximum, 2Kg. minimum e(least count): =100 g.
3	Accuracy classes – Class-III
4	Platform size – 750 mm x 750 mm / 700 mm x 800 mm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 1000 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO

N.B. : The AMC of the Weighing Machine should be given to the original supplier of the machine to protect the longevity of the machine and well-functioning.

TECHNICAL SPECIFICATION OF MINI SEED GRADER

Sl. No.	Specifications
1	Laboratory Model
2	Commodity : Paddy, Pulses
3	Operating Voltage : 220 Volt, 50 Hz.A.C.
4	Screen area : 29 x 24 cm 23pprox..
5	Screen provided . Set of 10 Sieves
6	Sieve sizes (mm): 3.5 OH, 2.75 OH, 2.0 OH, 1.85 OH, 1.75 OH, 1.5 OH, 7.0 RH, 5.0 RH, 1.6 RH and 1.2 RH (OH-Oblong Hole and RH - Round Hole)
7	No. of working screen : Two
8	Motor: ½ HP Single Phase (ISI Standard)
9	Operation : Manual, Power
10	Adjustable feed control, Air-speed regulator, Stainless Steel Sieve
11	Made of teak wood and ply.

TECHNICAL SPECIFICATION OF SET OF SIEVES

Sl. No.	Specifications
1	Set of Sieves (4 nos. with collecting pan and lid made up of brass)
2	Sieve Size – 4 mm – 1 no. 3.35 mm - 1no. 1.7 mm - 1 no 1 mm – 1 no. Dust collector – 1 no.
3	Solid Bottom Pan – 1 no.
4	Lid – 1 no.

TECHNICAL SPECIFICATION OF DIGITAL MOISTURE METER

Sl. No.	Specifications
1	Measuring Range: 3.5% to 40%
2	Supply Voltage : 9V DC
3	Temperature Compensation : Automatic calibration & error correction facility
4	Display : Digital LCD / LED
5	Error condition display for over Range or under range : ± 0.2%
6	Commodity : Cereals, Pulses, Oil Seeds
7	Operating Temperature : Ambient to 50° C

TECHNICAL SPECIFICATION OF ANALYSIS BOX / KIT

Sl. No.	Specification
1.	Analysis Box / Kit consists of Class 'B' Mechanical Weighing Balance up to 100 gm. Weight box consist of set of verified weights up to 100 gms. Enamelled Plate-9", Parkhi-9", Sieve-3.30 mesh, Magnifying Glass-1.5" (Magnification of 10X), Vernier / Micrometer, Palm Paddy De-husker, Scoop (With handle, 105 mm x 1000 mm x 25 mm, Measuring Cylinder-20 cc., Built-in Purity Work Board for testing physical purity of seeds, Petri Dish & Forceps all packed in a compact wooden / leather brief case, as small, as light and as compact as possible, but as accurate and as reliable.

TECHNICAL SPECIFICATION OF MICRO METRE

Sl. No.	Specifications
1	Analog measuring device for measurement of length / breadth of seed. The dial used is as per IS specification.
2	Made of stainless steel
3	Range : 0 - 25 mm
4	Resolution : 0.01 mm
5	Accuracy : 0.005 mm

TECHNICAL SPECIFICATION OF SEED SAMPLE DIVIDER (BOERNER TYPE)

Sl. No.	Specifications
1.	Meeting BIS specification
2	No. of Pockets : 38
3	Hopper Capacity : 1 Kg. (minimum)
4	Feature : provides accurate splits of the grain Samples into two equal halves with an accuracy of $\pm 5\%$ on a 1Kg sample.
5.	Two collecting Pans
6	Copper and Brass Body
7	Made without joint (in material flowing component)

TARPAULIN & HDPE POLYTHENE

To be procured from valid rate contract of Director, Export Promotion & Marketing (DEP&M), Odisha, Bhubaneswar as per their approved specification and rate contract of Tarpaulin and HDPE Polythene.