

OFFICE OF THE CHIEF DISTRICT MEDICAL AND PUBLIC HEALTH OFFICER,
BALANGIR



DISTRICT PROGRAMME MANAGEMENT UNIT
E-Mail: nhmbalangir@gmail.com Ph. No. 06652-230263



No. 2006

Date 07.06.2022

TENDER CALL NOTICE

Sealed tenders in prescribed format are invited from registered firms/agencies/suppliers for printing & supply of IEC/BCC and trainings materials to meet the day to day requirement of IEC materials/logistics of different programmes under H & FW Dept. Balangir. Sealed tender documents should reach to the undersigned on or before 28.06.2022, by registered post/speed post/ courier only. Tender document received after the scheduled date & time and received without relevant documents will summarily be rejected. Details of tender documents are available in the district website (www.balangir.nic.in). The undersigned reserves the right to cancel any or all tender document(s) without assigning any reason thereof.

The tender will be opened on 29.06.2022 at 11.00 PM in the office chamber of the CDM& PHO, Balangir in the presence of the bidders or their authorized representative.

Sd/-

Chief District Medical & Public Health Officer

Encl: Tender document.

Memo No: 2008

Date: 07.06.2022

Copy to the District Informatics Officer, NIC, Balangir. He is requested to upload the content of this advertisement in District Website (www.balangir.nic.in) up to _____


**Chief District Medical & Public Health Officer
Balangir**

SECTION - I
NOTICE INVITING TENDER

Tender Reference No _____ /2020-21 Dated: _____

1	Period of Availability of Tender Papers	From <u>09.06.2022</u> to <u>28.06.2022</u> (Downloadable from website: <u>www.balangir.nic.in</u>) In case of any bid amendment and clarification, responsibility lies with the bidders to collect the same from the above mentioned website before last date of submission of tender document and the tender inviting authority shall have no responsibility for any delay / omission on part of the bidder.
2	Last date & time for submission of Tender	Date: <u>28.06.2022</u> , Time: <u>5.30 PM</u> Address of Submission of Bid: The Chief District Medical & Public Health Officer, Balangir P1N-767001 (Through Speed post / Registered Post/Courier only)
3	Date, time and place of opening of Tender	Technical Bid (Cover A) opening: <u>29.06.2022</u> at <u>11.00</u> AM/ PM Address mentioned above. Financial Bid (Cover B): (will be intimated later or same day)



SECTION-II**IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERERS**

1	Purchaser	Chief District Medical & Public Health Officer, -Balangir
2	Consignee	DPMU, NHM, Balangir and all Wings under CDM & PHO, Balangir.
3	Delivery/Installation Period	As and when required and as ordered in supply order
4	Tender Document Cost	Bidder will be required to pay the tender cost amounting Rs.2,000/- (Non refundable) The payment will be made in the shape of DD/Banker's Cheque in favor of ZSS (MISCELLANEOUS) BALANGIR, payable at Balangir
5	Earnest Money Deposit (EMD)	The tender must be accompanied by EMD of Rs 20,000/- in shape of DD/Banker's Cheque in favor of ZSS (MISCELLANEOUS) BALANGIR, payable at Balangir

SECTION - III**TERMS AND CONDITIONS FOR SUPPLY & INSTALLATION OF IEC MATERIALS**

Sealed Tenders are invited from registered firms/ agencies having adequate experience in all types of printing i.e. poster, leaflet, flex, erection of hoardings & branding works. The firm/ agency should have valid Registration No, PAN No, GST registration no etc. as detailed mentioned in technical bid of Tender Form (part-1). Photo copy (self attested) of all documents should be submitted along with bid documents.

1. Bid documents should reach in prescribed format to the office of "**Chief District Medical & Public Health Officer, Balangir, At /Po. Balangir, Dist-Balangir, PIN-767001**" only through Speed Post/Regd. Post/Courier on or before 28.06.2022 till 5.30 P.M. The envelope must be super scribed by "**Tender documents for printing & supply of IEC/BCC materials, CDM&PHO, Balangir & Tender Reference No- 2006**". The tender shall be opened on dt. 29.06.2022 at 11.00 A.M /PM at O/O- CDM&PHO, Balangir in the presence of bidders or their authorized representative who may wish to be present.
2. Interested bidders can obtain detailed terms and conditions from the website for taking up this assignment. Bidders can download the tender documents from district website **www.balangir.nic.in**.
3. Bid will be submitted in two parts i.e. **Technical Bid (Cover – A) and Financial Bid (Cover – B)**. The bidders should give their technical and financial proposal separately in two envelopes and both should be put into third outer cover which should be super scribed as "**Tender documents for printing & supply of IEC/BCC materials CDM&PHO, Balangir & Tender Reference No- 2006**".
4. The bidders qualified in technical bid only will be entitled to participate in financial bid.
5. Each page must be signed by the bidder with seal.
6. The organization must ensure provision of service in Balangir as and when required by the authority. Bidders are required to submit an affidavit in this regard. Bidders are liable to be black listed with forfeiture of EMD deposit if he/she fails to comply or makes deviation in quality of materials supplied, if so observed by the competent authority.
7. Bids received with change in the formats published will be liable to be rejected. **If any bidder changes the format of either Technical Bid (Cover – A) or Financial Bid (Cover – B) then his bid will be out rightly rejected without any question.**
8. **Bidders have to quote single rate for a single item in financial bid. If any bid found with multiple rates for single item then it will be out rightly rejected without any further arguments.**
9. The bidders should have at least three Years of experience in supply/printing of IEC materials to any Govt. Organization. Bidders will have to produce work orders from any Govt. Organization in support of their experience along with the Technical Bid.



10. The average annual turnover of the organization must not be less than of **Rs.100,00,000/- (Rupees One Crore)** in last three financial years.(I.e. for F.Y 2018-19, 2019-20 & 2020-2021). Bidders have to submit the Average Annual Turnover certificate duly certified by Chattered Accountant along with Audited Financial Statement (P/L Account & BS) for the aforesaid period.
11. Bidders will have to submit GST return of last 2 quarters during F.Y 2021-22. (I.e. October.21 to December.21 and January.22 to March.22).
12. Bidder will have to submit Demand Draft of **Rs. 2000/- (Rupees Two thousand only)** in shape of DD/Banker's Cheque as tender paper cost (non refundable) in favour of **ZSS Miscellaneous Balangir** along with bid document.
13. Bid documents must be accompanied with EMD of **Rs.20,000/-(Rupees Twenty Thousands only)** in shape of DD/Banker's Cheque drawn on any Nationalized Bank in favour of **ZSS Miscellaneous Balangir** payable at **Balangir**. Bid documents without EMD will be summarily rejected. EMD of unsuccessful bidders will be returned without interest on finalization of tender. EMD of successful bidder will be retained as security Deposit & will be refunded without interest only after completion of 1 year from the date of finalization of tender. EMD submitted is liable to be forfeited if bidder violates or fails to comply with the terms and conditions of the tender.
14. Payment will be made in favour of the agency by e-transfer / PFMS after successful completion of the work and submission of work completion certificate duly certified by the authority concerned along with photographs if required.
15. **Bidders will have to submit Affidavit with following clause:-**
- It has not been blacklisted by any Government Organization. The organization does not have any legal suit / criminal case pending against it for violation of IT, GST or any other statutory dues as decided under any other law.
 - That the Bidder agrees to abide by all terms & conditions of tender.
16. All documents submitted must be signed by the authorized signatory of the organization.
17. To meet the emergency requirement, bidders must have sufficient infrastructure facility to supply the required materials in due time. To ensure having sufficient infrastructure facility, the bidders will have to submit a self certified list of equipment/instruments in their organization letterhead.
18. Bidder will quote prices inclusive of all taxes & charges. CDM&PHO, Balangir will have no liability regarding transportation, loading, unloading of materials and all the material ordered shall be delivered at the designated place in good condition and fixing the material at institution level as per order. The defective or damaged printed materials if any have to replace by the bidder.
19. If there is any contradiction between price quoted in figure and word then price quoted in word shall prevail over price quoted in figure.
20. Conditional bids are liable to be rejected. In the event of acceptance, CDM&PHO, Balangir decision will be final. Bids not as per required specifications will not be considered.
21. CDM & PHO, Balangir will not pay any advance payment to the bidders. Bidders will have to carry out the entire job on its own and the amount will be paid only after satisfactory completion of the job and submission of bill in that regard.

- 22. Under no circumstance shall the bidders appoint any sub-contractor or sublease the contract. If it is found that the bidder has violated these conditions, the contract will be terminated forthwith without any notice and security deposited by the organization shall be forfeited.
- 23. The rate approved will be valid for one year from the date of finalization of tender. The successful bidder is required to provide materials as per requirements placed by any of the wings of CDM&PHO, Balangir during the valid period of tender.
- 24. During opening of tender only bidder himself or his authorized representative is allowed to remain present. No representative is allowed without proper authorization from bidder.
- 25. All information, documents and data coming in the possession of the bidder as a result of execution of the job, shall at all time remain the property of the CDM & PHO, Balangir. The bidders shall not make or allow any of his employee or agents etc. to make an unauthorized copy, use, access or other utilization of this material commercially or otherwise, directly or indirectly except as agreed to by the Office. Bidders shall also ensure complete confidentiality of the information and data provided to it in the course of carrying out the job.
- 26. CDM & PHO, Balangir reserves the right to accept or reject all or any of the bid documents without assigning any reasons thereof.
- 27. All legal disputes are subject to the jurisdiction of Balangir Court only.

[Handwritten signatures and initials in blue ink]

SECTION -IV
Technical Eligibility Criteria


SL No	Particulars	Page No
1	Tender Paper Cost @Rs.2000/-	
2	EMD @Rs.20,000/-	
3	Valid PAN No.	
4	Valid GST Registration No.	
5	GST Return of last 2 quarters of F.Y 2021-22	
6	3 year experience of supply/printing of IEC materials to any Govt. Organization. Work Order should be submitted in support of experience.	
7	Certificates of Average Annual Turnover of Rs. 1 crore duly certified by a Chartered Accountant	
8	Audited Financial Statement for last 3 financial years.	
9	Affidavit regarding a. It has not been blacklisted by any Government Organization. The bidder does not have any legal suit / criminal case pending against it for violation of IT, GST or any other statutory dues as decided under any other law. b. That the bidder agrees to abide by all terms & conditions of tender.	
10	Self certified statement of list of Equipment/Instruments in the organization letterhead	
11	Original Tender Document (each page must be signed and numbered by the agency with seal)	

Re *to* *M. Singh* *for* *the* *Agency* *Signature* *Seal*


SECTION -V
TECHNICAL SPECIFICATIONS

SL No	Item	Specifications
1	Poster for GKS Swasthya Kantha	Size - 44 cm X 56 cm, Process Multi colour, Paper- 130 GSM Art Paper, Fixing with adhesive double side Gum tape in the back side of poster.
2	Calendar for GKS	Size - 75 cm X 50 cm, Process Multi colour, Paper- 170 GSM Art Paper, Fixing with adhesive double side Gum tape in the back side of Calendar.
3	Poster	Size - 44 cm X 56 cm, Paper - 170 GSM Art Paper, Process - Multi Colour Printing.
	Poster	Size - 44 cm X 56 cm, Paper - 130 GSM Art Paper, Process - Multi Colour Printing.
	Poster	Size - 44 cm X 56 cm, Paper - 90 GSM Art Paper, Process - Multi Colour Printing.
	Poster	Size - 44 cm X 56 cm, Paper - 70 GSM Map litho Paper, Process - Multi Colour Printing.
	Poster	Size - 44 cm X 56 cm, Paper - 170 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.
	Poster	Size - 44 cm X 56 cm, Paper - 130 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.
4	Leaflet	Size - 22 cm X 28 cm, Paper - 130 GSM Art Paper, Process - Multi Colour (single side)
	Leaflet	Size - 22 cm X 28 cm, Paper - 90 GSM Art Paper, Process - Multi Colour (single side)
	Leaflet	Size - 22 cm X 28 cm, Paper - 70 GSM Art Paper, Process - Multi Colour (single side)
	Leaflet	Size - 22 cm X 28 cm, Paper - 130 GSM Art Paper, Process - Multi Colour (Both Side printing)
	Leaflet	Size - 22 cm X 28 cm, Paper - 90 GSM Art Paper, Process - Multi Colour (Both Side printing)
	Leaflet	Size - 22 cm X 28 cm, Paper - 70 GSM Art Paper, Process - Multi Colour (Both Side printing)
5	Folder	Size - 22 cm X 28 cm, Paper - 220 GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing
	Folder	Size - 22 cm X 28 cm, Paper - 170GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing
	Folder	Size - 28 cm X 44 cm, Paper - 220 GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing
	Folder	Size - 28 cm X 44 cm, Paper - 170 GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing
	Folder	Outer cover A4 size both side multi colour - 130 GSM
	Folder	Outer cover A4 size both side multi colour - 170 GSM
	Folder	Outer cover A4 size both side multi colour - 220 GSM
	Folder	Size - 14 cm X 28 cm, Paper - 220 GSM Art Paper, Process - Multi colour, (4 pages) 2 fold, Both side printing & Gloss Lamination of both sides.
	Folder	Size - 14 cm X 28 cm, Paper - 170 GSM Art Paper, Process - Multi colour, (4 pages) 2 fold, Both side printing & Gloss Lamination of both sides.
6	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process Multi Colour; Paper:130GSM; single fold; four pages. Messages to be Printed will be

		provided by this office.
	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process Multi Colour; Paper:90GSM; single fold; four pages. Messages to be Printed will be provided by this office.
	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process single Colour; Paper:130GSM; single fold; four pages. Messages to be Printed will be provided by this office.
	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process single Colour; Paper:130GSM; single fold; four pages. Messages to be Printed will be provided by this office.
7	Handouts	Job Type- Folder design (Multi Colour, both side), Orientation- Landscape, Print Process- Offset. Paper Quality- 100 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.
	Handouts	Job Type- Folder design (Multi Colour, both side), Orientation- Landscape, Print Process- Offset. Paper Quality- 70 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.
8	Flipcharts	Job Type- Flipchart, colour, front + back, CMYK (multi Colour) Orientation- Portrait, wall calendar style, Refer to image, Print process- Offset, Paper type- 170gsm – 220gsm, uncoated, Final print size- 16.54" X 23.39" inches (A2) Post Process: Spiral Binding, Cardboard on the back, Metal eye (rivet) for hanging it from a nail, Front & Back mirror printing: 1-3,2-5,4-7,6-9,8-11,10-13.....20 blank.
9	Handbill (2 variations)	Job type- Colour, Front + Back, CMYK (multi Colour), Orientation- Portrait, Printing Process- Offset Printing, Paper Type- 130 GSM, Uncoated. Print Size_ 8.27" X 11.69".
10	Flex Banner	Size = As required sq. ft, Thickness-240GSM; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.
11	Flex Banner	Size = As required sq. ft, material-fabric; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.
	Flex Banner	Size = As required sq. ft ; Thickness-200GSM; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.
	Flex Banner wall hanging with plastic pipe on top and bottom	Size = As required sq. ft, Thickness-240GSM; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.
	Flex Banner wall hanging with plastic pipe on top and bottom	Size = As required sq. ft, material-fabric; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.
12	Fixing of Flex Banner	Flex Banner to be fixed on the existing Hoardings (different size) with adhesive pest. (Rate per Sq.ft to be quoted.)
13	Exhibit/Standee	Multi colour flex printing and fixing on the iron square bar frame with inside support and stand fitting at the back side of the frame, Frame Size - 1 inch X 1 inch of Iron gauze bar of 20 gauge
14	Standee	Widths: 3 feet with Aluminum Base; Height: Flexible Aluminum Rod extendable up to maximum 6 feet height.



15	Vehicle Decoration	Decoration of TATA ACE / TATA Magic Vehicle on various campaign programme. The vehicle is to be designed & fitted with flex framed with iron square bar of size 1 inch X 1 inch.
16	Wall Painting	Multi Colour Painting after double coat good quality White Enamel paint over wall & multi colour design Art Work.
17	Branding/Mounting of IEC materials	Materials to be used _ Sun Board, Thickness - 3 MM Sun Board, Printing Process – Eco Solvent Vinyl Print.
18	Signage	Materials to be used _ Sun Board, Thickness - 3 MM Sun Board, Printing Process – Eco Solvent Vinyl Print.
19	Branding/ Mounting of IEC materials	Materials to be used _ Sun Board, Thickness - 3 MM Sun Board Printing Process – Eco Solvent Vinyl Print. Materials Specification for Branding Work (Acrylic Signage Display- Sandwich Model), Base Sheet : - Imported Acrylic Sheet 4mm thickness. Topping Sheet :- Imported Acrylic Sheet 3mm thickness. Fitting type : - Wall mount with stainless stud at 4 corners Printing Process : - Multi colour printing by using imported color tone. Lamination :- Matte type lamination, Pasting :- Flash cut and should be orderly pressing without air bubble inside.
20	Printing of Tin Plates	Preferable 18 gauge Tin Plate to be printed with multi colour and 4 punch hole at 4 corners of the tin plate.
21	Printing of Forms	Printing of forms in A 4 Paper, Single Side, 60-70 GSM
		Printing of forms in A 4 Paper, Double Side, 60-70 GSM
		Printing of forms in A 3 Paper, Single Side, 60-70 GSM
		Printing of forms in A 3 Paper, Double Side, 60-70 GSM
		Printing of forms in A 2 Paper, Single Side, 60-70 GSM
		Printing of forms in A 2 Paper, Double Side, 60-70 GSM
		Printing of forms in Legal Paper, Single Side, 60-70 GSM
		Printing of forms in Legal Paper, Double Side, 60-70 GSM
		Printing of forms in ¼ size, single Side, 60-70 GSM
		Printing of forms in ¼ size, Double Side, 60-70 GSM
		Printing of forms in ½ DEMY size, single Side, 60-70 GSM
		Printing of forms in ½ DEMY size, both Side, 60-70 GSM
22	Printing of St. Records	Printing of Male & Female sterilization case card cum medical record. Paper Size - 28cm X 41cm, Paper Quality – 60-70 GSM, 4 Pages with Both side Printing. Post Process : _ Making individual set & Stapling.
23	Reporting Booklet	B/W printing of Booklet comprising 100 pages, 50 + 50 Copies as original & duplicate, Paper size - A4, Paper Quality - 60-70 GSM; Post Process : Binding with Cardboard on the back & front cover with thick paper printed & tearing mark at the top of the booklet.
24	Register	Register comprising 100 pages, , Paper size - A 3, Paper Quality - 60-70 GSM; Post Process : Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register comprising 200 pages, Paper size - A 3, Paper Quality - 60-70 GSM; Post Process : Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register comprising 300 pages, , Paper size - A 3, Paper Quality - 60-70; Post Process : Binding with Cardboard on the back & front cover with thick paper printed.
	Register	300 pages register of paper size 44cm X 54cm, quality of paper – 80 GSM. Post Process : Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 100 pages, Paper size - Legal, Paper Quality - 60-70 GSM, Post Process :



		Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 200 pages, Paper size- Legal, Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 300 pages, Paper size- Legal, Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 100 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 200 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 300 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 100 pages, Paper size- 44cm X 70 cm Paper Quality – 80 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 200 pages, Paper size- 44cm X 70 cm Paper Quality – 80 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 300 pages, Paper size- 44cm X 70 cm Paper Quality – 80 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 100 pages, Paper size- ¼ DFC Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 200 pages, Paper size- ¼ DFC Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register	Register 300 pages, Paper size- ¼ DFC Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
25	Register Rolling	Register comprising 100 pages, , Paper size- A 3, Paper Quality - 60-70 GSM Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register Rolling	Register comprising 200 pages, , Paper size- A 3, Paper Quality - 60-70 GSM good quality paper Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register Rolling	Register comprising 300 pages, , Paper size- A 3, Paper Quality - 60-70 GSM Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register Rolling	Register 100 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register Rolling	Register 200 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
	Register Rolling	Register 300 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.
26	M Register	Binding Register comprising 50 pages in original copy shape. Paper Size- A3, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.
27	M 1 Register	Binding Register comprising 100 pages in original copy shape. Paper Size- A3, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.
28	M 3 Register	Binding Register comprising 100 pages in original copy shape. Paper Size- A4, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back &

		front cover with thick paper with print.
29	M4 Register	Binding Register comprising 26 pages in both original and duplicate copy shape. Paper Size- A3, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.
30	M 1 Register	Binding Register comprising 50 pages in original copy shape. Paper Size- A4, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.
31	LLIN Distribution Register	Binding Register comprising 25 pages in original copy shape. Paper Size- ½ DEMY 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.
32	LLIN Suchana Patra	Paper size-1/8 DEMY, Single colour, single side
33	ASHA Voucher Book	Binding Book with purporting comprising 100 pages in original copy shape. Paper Size- DEMI 1/8, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.
34	ASHA HBNC Format	A-4 size, both side printing, 6 pages, 60-70 GSM with stapling
35	Flip Book for Universal Screening (ASHA & ANM)	Size- 12"x8", paper size-300Gsm Art paper (Gloss finish), brightness-80 minimum, Multi colour, both side upside printing, both side lamination of flip sheets, wirotop binding with 20mm wirotop, flip stand cover (1 ½ pound mill board, 2 nos connected with each other with base having folding arrangement for hand held as well as table top position) having white art paper)(130 GSM, brightness-80 minimum) printing with wirotop binding
36	Patient Referral Card	Unit : Booklet No. of sheets: 50 (50 sheets marked as Original + 50 sheet marked as Duplicate) with One Carbon sheet in each booklet. Printing type (inner Sheets : Single Side, Black. 1st Sheet of the Booklet shall be printing as "Original" and the next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. <ul style="list-style-type: none"> • Size : ¼ Demy • Paper – Original Sheet (White Colour) – 80 GSM Maplitho, • Brightness : 80 GSM • Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho • Binding Type – Top Pad binding with stapling with ½ Pound hard board on back side • Cover Page – 1 Cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC) Perforation – Perforation at the top of the Pad Binding (In Original Sheet of the booklet only.
37	Cloth Banner	Size – 48" X 16" , Yellow Colour
38	Cloth Banner	Size – 100" X 32" , Yellow Colour
39	Printing of Envelope	Printing of Yellow Colour Envelope for X Ray film : Paper Quality - 80 GSM, Size – 12 inches X 15 inches



40	Printing of Envelope	Printing of Yellow Colour Envelope for X Ray film : Paper Quality - 80 GSM, Size – 10 inches X 12 inches
41	Printing of Envelope for NCD	Printing of Single Colour Envelope: Paper Quality - 70-80 GSM, Size – 11 cm X 5 cm
42	Printing of Envelope for NCD	Printing of Multi Colour Envelope: Paper Quality - 70-80 GSM, Size – 11 cm X 5 cm
43	Signage with Play wood and tin plate	Size 60CM x 50CM; Ply wood background fixed with tin sheet. Messages shall be painted with multi-colour. Colour should be weather coat proofed.. The quoted rate should be included all charges. Messages to be printed will be provided by this office
44	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 70 GSM;.
	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 90 GSM;.
	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 130 GSM;.
	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 250 GSM;.
45	certificate	Size; 5'X9.7'; Process Multi Color; Paper:250 GSM; Art paper.
46	Sticker	Size; as required; Process Multi Color; Eco solvent printing on Vinyl substrate with stickering provision for sharper image quality rate as per Sq. ft.
47	Canopy Set	Size : 6 fts X 6 fts X 7 fts (Height) ; Frame : Aluminum round/ square Bar ; Cover: Water proof fabric stitched with individual carry Bag
48	Auto carbon prescription pad	Register 100 pages, (50 Auto carbon with porporation and 50 plain papers) with numbering; Paper size- A5, Paper Quality – auto carbon 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed
49	Erection of Large Hoarding at strategic locations of District & Block	Specification & structure Size of Hoarding - 10 ft X 20 ft. Good Quality of surface Angel frame to be used; Joist - 5" X 3.00"; Angle - 3" X 3"; Angle - 2" X 2.5" 3 feet deep concrete on each pole of the board along with supporting Iron angle; Frame should be made from Iron Angle Flex should be of best quality with digital multi coloured printing Flex should be fixed by iron pipes & GI Wires Structure of hoarding will be of 5 feet height from ground level.
50	Erection of Large Hoarding at strategic locations of District & Block	Specification & structure Size of Hoarding - 8 ft X 16 ft. Good Quality of surface Angel frame to be used; Joist - 5" X 2.5"; Angle - 3" X 3"; Angle - 2" X 2" 3 feet deep concrete on each pole of the board along with supporting Iron angle; Frame should be made from Iron Angle Flex should be of best quality with digital multi coloured printing Flex should be fixed by iron pipes & GI Wires Structure of hoarding will be of 5 feet height from ground level.
51	Erection of Hoarding at strategic locations of District & Block	Specification & structure Size of Hoarding - 6 ft X 10 ft. Good Quality of surface Angel Iron frame to be used. Joist - 4" X 2"; Angle - 3" X 3"; Angle - 2" X 2" 2ft deep concrete (joist) on each pole of the board along with supporting Iron angle
52	Erection of Mini Hoarding at strategic	Specification & structure (Option -1) Size of Display area in hoarding - 6 ft X 3 ft. Display material- Preferably 18 gauge

	<p>locations of District & Block</p>	<p>Total Height from inside the ground – 10ft L Iron angle (2" L Iron angle should be used); Base (inside ground) - 2.0 ft inside cement concrete; Above Ground (ground to top) - 8.0 ft Length: 6ft L iron angle (2" L Iron angle should be used) Mid Joist Bar to support display material: 3ft L iron angle (2" L iron angle should be used)</p>
		<p>Specification & structure (Option -2) Size of Display area in hoarding - 4 ft X 3 ft. Display material- Preferably 18 gauge printed or painted Tin plate Total Height from inside the ground – 10ft L Iron angle (2" L Iron angle should be used) Base (inside ground) - 2.0 ft inside cement concrete; Above Ground (ground to top) - 8.0 ft. Length: 4ft L iron angle (2" L Iron angle should be used) Mid Joist Bar to support display material: 3ft L iron angle (2" L iron angle should be used)</p>
53	T-Shirt with Printing	Process- Multi Colour , both side, Good Quality material of T-Shirt for different occasions.
54	Cotton Round Badge	Size -6 cm with colour printing
55	Printing of Health Calendar	Size of Calender- 11.5 inch X 18 INCH (Half Demy), 130 GSM Art paper Multi colour Offset printing Wire Binding including hanger 4 sheet 8 pages, glossy lamination
56	HMIS format	240 Nos. SC Format – 10 pages (5 pages for reporting & 5 pages carbonated for inst.) per month x 6 months, each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year, Block name of facility.
57	HMIS format	50 Nos. of PHC format – 12 pages (6 pages for reporting & 6 pages carbonated for inst.) per month x 6 months each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year, Block name of facility.
58	HMIS format	18 nos. of CHC format – 16 pages (8 pages for reporting & 8 pages carbonated for inst.) per month x 6 months each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year, Block name of facility.
59	HMIS format	5 nos. DHH format- 14 pages (7 pages for reporting & 7 pages carbonated fot inst.) per month X 6 months each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year.

60	Fly leaf	Fly leaf with printing, high quality
61	Glow sign board	Backflip flex, Iron frame, Tin chadar board with electric goods including Installation
62	ACP board	Vinyl printing ACP sheet including labour charges
63	Training Diary (50 pages)	High bright paper, long lasting poly covers, nylon coated binding wire, index page, important dated/notes, horizontal ruled, 50 pages
64	Training Diary (100 pages)	High bright paper, long lasting poly covers, nylon coated binding wire, index page, important dated/notes, horizontal ruled, 100 pages
65	Training Note Pad	High bright paper, size 1/8, pasted with both side cover 20 pages
66	Training Note Pad	High bright paper, size 1/8, pasted with both side cover 40 pages
67	Training Note Pad	High bright paper, size 1/8, pasted with both side cover 50 pages
68	Training folder	Nylon Ploy covers, Material Plastic, size-A4 (Different thickness)
69	Photocopy(black & white)	Photocopy of A4 size (single side)
70	Photocopy(black & white)	Photocopy of A4 size (both side)
71	Photocopy(black & white)	Photocopy of A3 size (single side)
72	Photocopy(black & white)	Photocopy of A3 size (both side)
72	Photocopy (Multi colour)	Photocopy of A4 size (single side)
73	Photocopy (Multi colour)	Photocopy of A4 size (both side)
74	Photocopy (Multi colour)	Photocopy of A3 size (single side)
75	Photocopy (Multi colour)	Photocopy of A3 size (both side)
76	Spiral Binding	Size-A4, 50 pages
77	Spiral Binding	Size-A4, 100 pages
78	Spiral Binding	Size-A4, 200 pages



Financial Bid- (Cover -B)

SL No	Item	Specifications	Rate
1	Poster for GKS Swasthya Kantha	Size - 44 cm X 56 cm, Process Multi colour, Paper- 130 GSM Art Paper, Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece
2	Calendar for GKS	Size - 75 cm X 50 cm, Process Multi colour, Paper- 170 GSM Art Paper, Fixing with adhesive double side Gum tape in the back side of Calendar.	Per Piece
3	Poster	Size - 44 cm X 56 cm, Paper - 170 GSM Art Paper, Process - Multi Colour Printing.	Per Piece
	Poster	Size - 44 cm X 56 cm, Paper - 130 GSM Art Paper, Process - Multi Colour Printing.	Per Piece
	Poster	Size - 44 cm X 56 cm, Paper - 90 GSM Art Paper, Process - Multi Colour Printing.	Per Piece
	Poster	Size - 44 cm X 56 cm, Paper - 70 GSM Map litho Paper, Process - Multi Colour Printing.	Per Piece
	Poster	Size - 44 cm X 56 cm, Paper - 170 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece
	Poster	Size - 44 cm X 56 cm, Paper - 130 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece
	Poster	Size - 44 cm X 56 cm, Paper - 90 GSM Art Paper, Process - Multi Colour Printing. Fixing with adhesive double side Gum tape in the back side of poster.	Per Piece
4	Leaflet	Size - 22 cm X 28 cm, Paper - 130 GSM Art Paper, Process - Multi Colour (single side)	Per Piece
	Leaflet	Size - 22 cm X 28 cm, Paper - 90 GSM Art Paper, Process - Multi Colour (single side)	Per Piece
	Leaflet	Size - 22 cm X 28 cm, Paper - 70 GSM Art Paper, Process - Multi Colour (single side)	Per Piece
	Leaflet	Size - 22 cm X 28 cm, Paper - 130 GSM Art Paper, Process - Multi Colour (Both Side printing)	Per Piece
	Leaflet	Size - 22 cm X 28 cm, Paper - 90 GSM Art Paper, Process - Multi Colour (Both Side printing)	Per Piece
	Leaflet	Size - 22 cm X 28 cm, Paper - 70 GSM Art Paper, Process - Multi Colour (Both Side printing)	Per Piece
5	Folder	Size - 22 cm X 28 cm, Paper - 220 GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing	Per Piece
	Folder	Size - 22 cm X 28 cm, Paper - 170GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing	Per Piece
	Folder	Size - 28 cm X 44 cm, Paper - 220 GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing	Per Piece
	Folder	Size - 28 cm X 44 cm, Paper - 170 GSM Art Paper, Process - Multi colour, (4 pages) one fold, Both side printing	Per Piece
	Folder	Outer cover A4 size both side multi colour - 130 GSM	Per Piece

	Folder	Outer cover A4 size both side multi colour – 170 GSM	Per Piece
	Folder	Outer cover A4 size both side multi colour – 220 GSM	Per Piece
	Folder	Size – 14 cm X 28 cm, Paper – 220 GSM Art Paper, Process - Multi colour, (4 pages) 2 fold, Both side printing & Gloss Lamination of both sides.	Per Piece
	Folder	Size – 14 cm X 28 cm, Paper – 170 GSM Art Paper, Process - Multi colour, (4 pages) 2 fold, Both side printing & Gloss Lamination of both sides.	Per Piece
6	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process Multi Colour; Paper:130GSM; single fold; four pages. Messages to be Printed will be provided by this office.	Per Piece
	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process Multi Colour; Paper:90GSM; single fold; four pages. Messages to be Printed will be provided by this office.	Per Piece
	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process single Colour; Paper:130GSM; single fold; four pages. Messages to be Printed will be provided by this office.	Per Piece
	Booklet	Open Size = 36CM X 24.5CM ; close Size; 18CM X 24.5CM; Process single Colour; Paper:130GSM; single fold; four pages. Messages to be Printed will be provided by this office.	Per Piece
7	Handouts	Job Type- Folder design (Multi Colour, both side), Orientation- Landscape, Print Process- Offset. Paper Quality- 100 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.	Per Piece
	Handouts	Job Type- Folder design (Multi Colour, both side), Orientation- Landscape, Print Process- Offset. Paper Quality- 70 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.	Per Piece
8	Flipcharts	Job Type- Flipchart, colour, front + back, CMYK (multi Colour) Orientation- Portrait, wall calendar style, Refer to image, Print process- Offset, Paper type- 170gsm – 220gsm, uncoated, Final print size- 16.54" X 23.39" inches (A2) Post Process: Spiral Binding, Cardboard on the back, Metal eye (rivet) for hanging it from a nail, Front & Back mirror printing: 1-3,2-5,4-7,6-9,8-11,10-13.....20 blank.	Per Piece
9	Handbill (2 variations)	Job type- Colour, Front + Back, CMYK (multi Colour), Orientation- Portrait, Printing Process- Offset Printing, Paper Type- 130 GSM, Uncoated. Print Size_ 8.27" X 11.69".	Per Piece
10	Flex Banner	Size = As required sq. ft, Thickness-240GSM; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.	Per Sq.Ft
11	Flex Banner	Size = As required sq. ft, material-fabric; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.	Per Sq.Ft
	Flex Banner	Size = As required sq. ft ; Thickness-200GSM; Process	Per Sq.Ft

		Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.	
	Flex Banner wall hanging with plastic pipe on top and bottom	Size = As required sq. ft, Thickness-240GSM; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.	Per Sq.Ft
	Flex Banner wall hanging with plastic pipe on top and bottom	Size = As required sq. ft, material-fabric; Process Multi Colour; Printing process-Eco Solvent Flex Print. Messages to be Printed will be provided by this office.	Per Sq.Ft
12	Fixing of Flex Banner	Flex Banner to be fixed on the existing Hoardings (different size) with adhesive pest. (Rate per Sq.ft to be quoted.)	Per Sq.Ft
13	Exhibit/Standee	Multi colour flex printing and fixing on the iron square bar frame with inside support and stand fitting at the back side of the frame, Frame Size - 1 inch X 1 inch of Iron gauze bar of 20 gauge	Per Piece
14	Standee	Widths: 3 feet with Aluminum Base; Height: Flexible Aluminum Rod extendable up to maximum 6 feet height.	Per Piece
15	Vehicle Decoration	Decoration of TATA ACE / TATA Magic Vehicle on various campaign programme. The vehicle is to be designed & fitted with flex framed with iron square bar of size 1 inch X 1 inch.	Per Piece
16	Wall Painting	Multi Colour Painting after double coat good quality White Enamel paint over wall & multi colour design Art Work.	Per Sq.Ft
17	Branding/Mounting of IEC materials	Materials to be used _ Sun Board, Thickness - 3 MM Sun Board, Printing Process – Eco Solvent Vinyl Print.	Per Sq.Ft
18	Signage	Materials to be used _ Sun Board, Thickness - 3 MM Sun Board, Printing Process – Eco Solvent Vinyl Print.	Per Sq.Ft
19	Branding/ Mounting of IEC materials	Materials to be used _ Sun Board, Thickness - 3 MM Sun Board Printing Process – Eco Solvent Vinyl Print. Materials Specification for Branding Work (Acrylic Signage Display- Sandwich Model), Base Sheet : - Imported Acrylic Sheet 4mm thickness. Topping Sheet :- Imported Acrylic Sheet 3mm thickness. Fitting type : - Wall mount with stainless stud at 4 corners Printing Process : - Multi colour printing by using imported color tone. Lamination :- Matte type lamination, Pasting :- Flash cut and should be orderly pressing without air bubble inside.	Per Sq.Ft
20	Printing of Tin Plates	Preferable 18 gauge Tin Plate to be printed with multi colour and 4 punch hole at 4 corners of the tin plate.	Per Sq.Ft
21	Printing of Forms	Printing of forms in A 4 Paper, Single Side, 60-70 GSM	Per Piece
		Printing of forms in A 4 Paper, Double Side, 60-70 GSM	Per Piece
		Printing of forms in A 3 Paper, Single Side , 60-70 GSM	Per Piece
		Printing of forms in A 3 Paper, Double Side , 60-70 GSM	Per Piece
		Printing of forms in A 2 Paper, Single Side , 60-70 GSM	Per Piece

		Printing of forms in A 2 Paper, Double Side , 60-70 GSM	Per Piece
		Printing of forms in Legal Paper, Single Side , 60-70 GSM	Per Piece
		Printing of forms in Legal Paper, Double Side , 60-70 GSM	Per Piece
		Printing of forms in ¼ size, single Side , 60-70 GSM	Per Piece
		Printing of forms in ¼ size, Double Side , 60-70 GSM	Per Piece
		Printing of forms in ½ DEMY size, single Side , 60-70 GSM	Per Piece
		Printing of forms in ½ DEMY size, both Side , 60-70 GSM	
22	Printing of St. Records	Printing of Male & Female sterilization case card cum medical record. Paper Size - 28cm X 41cm, Paper Quality – 60-70 GSM, 4 Pages with Both side Printing. Post Process: _ Making individual set & Stapling.	Per Piece
23	Reporting Booklet	B/W printing of Booklet comprising 100 pages, 50 + 50 Copies as original & duplicate, Paper size- A4, Paper Quality - 60-70 GSM; Post Process: Binding with Cardboard on the back & front cover with thick paper printed & tearing mark at the top of the booklet.	Per Piece
24	Register	Register comprising 100 pages, , Paper size- A 3, Paper Quality - 60-70 GSM; Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register comprising 200 pages, Paper size- A 3, Paper Quality - 60-70 GSM; Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register comprising 300 pages, , Paper size- A 3, Paper Quality - 60-70; Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	300 pages register of paper size 44cm X 54cm, quality of paper – 80 GSM. Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 100 pages, Paper size- Legal, Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 200 pages, Paper size- Legal, Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 300 pages, Paper size- Legal, Paper Quality - 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 100 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 200 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 300 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 100 pages, Paper size- 44cm X 70 cm Paper Quality	Per Piece

		- 80 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	
	Register	Register 200 pages, Paper size- 44cm X 70 cm Paper Quality – 80 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 300 pages, Paper size- 44cm X 70 cm Paper Quality – 80 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 100 pages, Paper size- ¼ DFC Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 200 pages, Paper size- ¼ DFC Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register	Register 300 pages, Paper size- ¼ DFC Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
25	Register Rolling	Register comprising 100 pages, , Paper size- A 3, Paper Quality - 60-70 GSM Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register Rolling	Register comprising 200 pages, , Paper size- A 3, Paper Quality - 60-70 GSM good quality paper Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register Rolling	Register comprising 300 pages, , Paper size- A 3, Paper Quality - 60-70 GSM Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register Rolling	Register 100 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register Rolling	Register 200 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
	Register Rolling	Register 300 pages, Paper size- A3, Paper Quality – 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed.	Per Piece
26	M Register	Binding Register comprising 50 pages in original copy shape. Paper Size- A3, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece
27	M 1 Register	Binding Register comprising 100 pages in original copy shape. Paper Size- A3, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece
28	M 3 Register	Binding Register comprising 100 pages in original copy shape. Paper Size- A4, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece

29	M4 Register	Binding Register comprising 26 pages in both original and duplicate copy shape. Paper Size- A3, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece
30	M 1 Register	Binding Register comprising 50 pages in original copy shape. Paper Size- A4, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece
31	LLIN Distribution Register	Binding Register comprising 25 pages in original copy shape. Paper Size- ½ DEMY 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece
32	LLIN Suchana Patra	Paper size-1/8 DEMY, Single colour, single side	Per Piece
33	ASHA Voucher Book	Binding Book with purporting comprising 100 pages in original copy shape. Paper Size- DEMI 1/8, 60-70 GSM paper, Single side printing. Post Process: Binding with Cardboard on the back & front cover with thick paper with print.	Per Piece
34	ASHA HBNC Format	A-4 size, both side printing, 6 pages, 60-70 GSM with stapling	Per Piece
35	Flip Book for Universal Screening (ASHA & ANM)	Size- 12"x8", paper size-300GSm Art paper (Gloss finish), brightness-80 minimum, Multi colour, both side upside printing, both side lamination of flip sheets, wirotop binding with 20mm wirotop, flip stand cover (1 ½ pound mill board, 2 nos connected with each other with base having folding arrangement for hand held as well as table top position) having white art paper)(130 GSM, brightness-80 minimum) printing with wirotop binding	Per Piece
36	Patient Referral Card	Unit : Booklet No. of sheets: 50 (50 sheets marked as Original + 50 sheet marked as Duplicate) with One Carbon sheet in each booklet. Printing type (inner Sheets : Single Side, Black. 1st Sheet of the Booklet shall be printing as "Original" and the next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. <ul style="list-style-type: none"> • Size : ¼ Demy • Paper – Original Sheet (White Colour) – 80 GSM Maplitho, • Brightness : 80 GSM • Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho • Binding Type – Top Pad binding with stapling with ½ Pound hard board on back side • Cover Page – 1 Cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC) Perforation – Perforation at the top of the Pad Binding (In Original Sheet of the booklet only.	Per Piece

37	Cloth Banner	Size – 48" X 16" , Yellow Colour	Per Piece
38	Cloth Banner	Size – 100" X 32" , Yellow Colour	Per Piece
39	Printing of Envelope	Printing of Yellow Colour Envelope for X Ray film : Paper Quality - 80 GSM, Size – 12 inches X 15 inches	Per Piece
40	Printing of Envelope	Printing of Yellow Colour Envelope for X Ray film : Paper Quality - 80 GSM, Size – 10 inches X 12 inches	Per Piece
41	Printing of Envelope for NCD	Printing of Single Colour Envelope: Paper Quality - 70-80 GSM, Size – 11 cm X 5 cm	Per Piece
42	Printing of Envelope for NCD	Printing of Multi Colour Envelope: Paper Quality - 70-80 GSM, Size – 11 cm X 5 cm	Per Piece
43	Signage with Play wood and tin plate	Size 60CM x 50CM; Ply wood background fixed with tin sheet. Messages shall be painted with multi-colour. Colour should be weather coat proofed.. The quoted rate should be included all charges. Messages to be printed will be provided by this office	Per Piece
44	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 70 GSM;.	Per Piece
	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 90 GSM;.	Per Piece
	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 130 GSM;.	Per Piece
	Invitation cards	Size; 14CM X 22 CM; Process Multi Color; Paper: 250 GSM;.	Per Piece
45	certificate	Size; 5'X9.7'; Process Multi Color; Paper:250 GSM; Art paper.	Per Piece
46	Sticker	Size; as required; Process Multi Color; Eco solvent printing on Vinyl substrate with stickering provision for sharper image quality rate as per Sq. ft.	Per Piece
47	Canopy Set	Size : 6 fts X 6 fts X 7 fts (Height) ; Frame : Aluminum round/ square Bar ; Cover: Water proof fabric stitched with individual carry Bag	Per Piece
48	Auto carbon prescription pad	Register 100 pages, (50 Auto carbon with porporation and 50 plain papers) with numbering; Paper size- A5, Paper Quality – auto carbon 60-70 GSM, Post Process: Binding with Cardboard on the back & front cover with thick paper printed	Per Piece
49	Erection of Large Hoarding at strategic locations of District & Block	Specification & structure Size of Hoarding - 10 ft X 20 ft. Good Quality of surface Angel frame to be used; Joist - 5" X 3.00"; Angle - 3" X 3"; Angle - 2" X 2.5" 3 feet deep concrete on each pole of the board along with supporting Iron angle; Frame should be made from Iron Angle Flex should be of best quality with digital multi coloured printing Flex should be fixed by iron pipes & GI Wires Structure of hoarding will be of 5 feet height from ground	Per Piece

		level.	
50	Erection of Large Hoarding at strategic locations of District & Block	<p>Specification & structure Size of Hoarding - 8 ft X 16 ft. Good Quality of surface Angel frame to be used; Joist - 5" X 2.5"; Angle - 3" X 3"; Angle - 2" X 2"</p> <p>3 feet deep concrete on each pole of the board along with supporting Iron angle; Frame should be made from Iron Angle Flex should be of best quality with digital multi coloured printing Flex should be fixed by iron pipes & GI Wires Structure of hoarding will be of 5 feet height from ground level.</p>	Per Piece
51	Erection of Hoarding at strategic locations of District & Block	<p>Specification & structure Size of Hoarding - 6 ft X 10 ft. Good Quality of surface Angel Iron frame to be used. Joist - 4" X 2"; Angle - 3" X 3"; Angle - 2" X 2"</p> <p>2ft deep concrete (joist) on each pole of the board along with supporting Iron angle</p>	Per Piece
52	Erection of Mini Hoarding at strategic locations of District & Block	<p>Specification & structure (Option -1) Size of Display area in hoarding - 6 ft X 3 ft. Display material- Preferably 18 gauge Total Height from inside the ground – 10ft L Iron angle (2" L Iron angle should be used); Base (inside ground) - 2.0 ft inside cement concrete; Above Ground (ground to top) - 8.0 ft Length: 6ft L iron angle (2" L Iron angle should be used) Mid Joist Bar to support display material: 3ft L iron angle (2" L iron angle should be used)</p>	Per Piece
		<p>Specification & structure (Option -2) Size of Display area in hoarding - 4 ft X 3 ft. Display material- Preferably 18 gauge printed or painted Tin plate Total Height from inside the ground – 10ft L Iron angle (2" L Iron angle should be used) Base (inside ground) - 2.0 ft inside cement concrete; Above Ground (ground to top) - 8.0 ft. Length: 4ft L iron angle (2" L Iron angle should be used) Mid Joist Bar to support display material: 3ft L iron angle (2" L iron angle should be used)</p>	Per Piece
53	T-Shirt with Printing	Process- Multi Colour , both side, Good Quality material of T-Shirt for different occasions.	Per Piece
54	Cotton Round Badge	Size -6 cm with colour printing	Per Piece
55	Printing of Health Calender	Size of Calender- 11.5 inch X 18 INCH (Half Demy), 130 GSM Art paper Multi colour Offset printing Wire Binding including hanger 4 sheet 8 pages, glossy lamination	Per Piece
56	HMIS format	240 Nos. SC Format – 10 pages (5 pages for reporting & 5 pages carbonated for inst.) per month x 6 months, each page of format should have a dotted line with perforating for tear	Per page

		of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year, Block name of facility.	
57	HMIS format	50 Nos. of PHC format – 12 pages (6 pages for reporting & 6 pages carbonated for inst.) per month x 6 months each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year, Block name of facility.	Per page
58	HMIS format	18 nos. of CHC format – 16 pages (8 pages for reporting & 8 pages carbonated for inst.) per month x 6 months each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year, Block name of facility.	Per page
59	HMIS format	5 nos. DHH format- 14 pages (7 pages for reporting & 7 pages carbonated for inst.) per month X 6 months each page of format should have a dotted line with perforating for tear able, each page of format should be in A4 sized 60-70 GSM paper, different colours cover pages for different types of facility. The binding should be hard cardboard on front and back. The cover page should have the space for mentioning year.	Per page
60	Fly leaf	Fly leaf with printing, high quality	Per Piece
61	Glow sign board	Backflip flex, Iron frame, Tin chadar board with electric goods including Installation	Per Sq. Ft
62	ACP board	Vinyl printing ACP sheet including labour charges	Per Sq. Ft
63	Training Diary (50 pages)	High bright paper, long lasting poly covers, nylon coated binding wire, index page, important dated/notes, horizontal ruled, 50 pages	Per Piece
64	Training Diary (100 pages)	High bright paper, long lasting poly covers, nylon coated binding wire, index page, important dated/notes, horizontal ruled, 100 pages	Per Piece
65	Training Note Pad	High bright paper, size 1/8, pasted with both side cover 20 pages	Per Piece
66	Training Note	High bright paper, size 1/8, pasted with both side cover 40	Per Piece

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

	Pad	pages	
67	Training Note Pad	High bright paper, size 1/8, pasted with both side cover 50 pages	Per Piece
68	Training folder	Nylon Ploy covers, Material Plastic, size-A4 (Different thickness)	Per Piece
69	Photocopy(black & white)	Photocopy of A4 size (single side)	Per page
70	Photocopy(black & white)	Photocopy of A4 size (both side)	Per page
71	Photocopy(black & white)	Photocopy of A3 size (single side)	Per page
72	Photocopy(black & white)	Photocopy of A3 size (both side)	Per page
72	Photocopy (Multi colour)	Photocopy of A4 size (single side)	Per page
73	Photocopy (Multi colour)	Photocopy of A4 size (both side)	Per page
74	Photocopy (Multi colour)	Photocopy of A3 size (single side)	Per page
75	Photocopy (Multi colour)	Photocopy of A3 size (both side)	Per page
76	Spiral Binding	Size-A4, 50 pages	Per Piece
77	Spiral Binding	Size-A4, 100 pages	Per Piece
78	Spiral Binding	Size-A4, 200 pages	Per Piece