

**Form of Bid Security Declaration (Not Applicable)**

Name Of the Work—

Date:  
Bid Identification No.

To

(Fill up the complete name and address of the Authority/Employer/Tender Inviting Authority)

We, the undersigned declare that:

1. We understand that, according to your conditions, bids must be supported by a Bid Security Declaration.
2. We accept that the Authority/Employer/Tender Inviting Authority shall cancel our empanelment and / or suspend/prohibit/debar/blacklist from participating in bidding in any contract of the State for a minimum period of 180 days, if we are in breach of our obligation(s) under the bid conditions, because we:
  - (a) Have withdrawn out Bid prior to the expiry date of the bid validity specified in the letter of Bid or any extended date provided by us; or
  - (b) Having been notified of the acceptance of our Bid by the Employer prior to the expiry date the bid validity in the Letter of Bid or any extended date provided by us,
    - (i) Failure of use to furnish the Performance Security and Additional Performance Security, if required in accordance ITB/Terms of the Bid Document, or
    - (ii) Fail to agree to the decisions of the contract negotiation meeting or
    - (iii) Failure refuses to execute the Contract.
3. We understand this Bid Security Declaration shall expire, if we are not the successful Bidder, upon the earlier of your notification of the name of the successful Bidder through award of contract; or after the expiry date of the Bid validity.

Name of the Bidder \_\_\_\_\_

Name of the person duly authorized to sign the Bid on behalf of the Bidder \_\_\_\_\_

Title of the person signing the Bid \_\_\_\_\_

Signature of the person named above \_\_\_\_\_

Date signed \_\_\_\_\_ day of \_\_\_\_\_

In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder  
Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid.

[Note: In case of a Joint Venture, the Bid Security Declaration must be in the name of all members to the Joint Venture that submits the Bid]

Contractor

  
Block Development Officer, Patnagarh

MEMORANDUM OF UNDERSTANDING

First Party I Sri/Smt....., Aged ..... Years, S/O-  
....., At / P.O. / Dist-  
..... (Hereinafter called the First Part)

AND

Second Party I Sri/Smt....., Aged ..... Years, S/O-  
....., At / P.O. / Dist-..... (Hereinafter called the Second  
Part) having H.T. / L.T. license registration No..... valid up to .....

AND WHEREAS the First Party of 1<sup>st</sup> part is the managing partner of .....

AND WHEREAS the First Party willing to appoint the Second Party to execute the E.I. portion for  
the tender work, "....."

AND WHEREAS the Second Party accepted the offer of First Party.

**NOW THIS DEED OF AGREEMENT WITNESSES AS FOLLOWS;**

- 1) That, the Second Party shall do all E.I. works, if the tender is awarded to First Party.
- 2) That, the Second Party shall fulfill all the E.I. works as per the tender schedule by instruction of  
Engineer-in-Charge.
- 3) That, the First Party shall receive payment, signing the bill the document for the concerned work.
- 4) That, the Second Party shall abide the rules, regulations and specification of E.I. works of above  
said matter.

witness where of both the party have signed in presence of

**WITNESS**

W<sub>1</sub> -

W<sub>2</sub> -



Block Development Officer, Patnagarh

Contractor

TENDER

NAME OF THE WORK:-

Bid Identification No:-

Detailed Tender Call Notice No.:-

CONTRACT NO.

BIDDER NAME:-

## CONSTRUCTION OF DAY CARE SUB-CENTRE CUM HEALTH &amp; WELLNESS CENTRE AT DAMKIPALI UNDER PATNAGARH BLOCK

05/PATNAGARH/2023-24  
01/PATNAGARH/2023-24

EXCESS/LESS( +/- )

%

SCHEDULE OF WORKS

DESCRIPTION OF WORKS	No / Qty.	Unit	Estimated Rate		Amount ( Rs. )
			Figures	Words	
Part-I Civil					
Diluting and injecting chemical emulsion (to be supplied free of cost at site of work) for PRE CONSTRUCTIONAL Anti-termite treatment and creating a continuous chemical barrier under and all-round the column pits, wall trenches, basement excavation, top perimeter of building, expansion joints, over the top surface of consolidated earth on which apron is to be laid, surroundings of pipes and conduits etc. complete as per specifications (plinth area of the building at ground floor only shall be measured for payment) including cost of all materials, labour, T&P etc complete in all respect and as per direction of the Engineer-in-charge.	106.84	Sqm	138.00	Rupees One Hundred ThirtyEight Only	14743.92
Birth work in excavation of foundation trenches in hard soil including dressing of sides and levelling the bed up to the required depth and depositing the excavated materials away from the work site within 3m initial lead & 1.5m initial lifts with sundries & T&P required for the work complete including cost of all labour,labour cess,T&P,sundries etc. as directed by the Engineer in charge.	169.08	Cum	206.80	Rupees Two Hundred Six Paise Eighty Only	34965.74
filling foundation and plinth with excavated earth complete with all.	56.36	Cum	57.40	Rupees FiftySeven Paise Fourty Only	3235.06
applying and filling in foundation and plinth with good quality river sand including watering, ramming with cost, conveyances, royalties, taxes of all materials and cost of all labour with T&P required for the work etc. complete as per specification & direction of Engineer-in-charge.	90.77	Cum	511.30	Rupees Five Hundred Eleven Paise Thirty Only	46410.70
providing and laying plain cement concrete of proportion (1:3:6) in foundation and floors using 4 cm. size black hard crusher broken granite stone metal and screened and washed sharp sand for mortar approved quality and from approved quarry including hoisting, watering, laying concrete, ramming, watering and curing etc. complete as per required levels laid in layers not exceeding 15 cm. thick in each layer including cost, conveyance, royalties, taxes of all materials and cost of all labours,labour cess, T&P etc complete as per the direction of the Engineer-in-charge.	30.24	Cum	4708.10	Rupees Four Thousand Seven Hundred Eight Paise Ten Only	142372.94
Plain cement concrete (1:2:4) using 12mm size black hard crusher broken granite chips of approved quality from approved quarry including hoisting, lowering and laying concrete in layers, watering, curing etc. complete including cost, conveyance, royalties and taxes of all materials with labour,labour cess and T&P etc. required for the work complete as per the direction of the Engineer-in-charge.	6.54	Cum	6107.60	Rupees Six Thousand One Hundred Seven Paise Sixty Only	39943.70

Contractor

  
 Block Development Officer, Patnagarh

7	Fly Ash brick masonry in cement mortar (1:6) in foundation & plinth using Fly Ash bricks of 23 x 11 x 8 cm size having a crushing strength of not less than 75 kg./sqcm with dimensional tolerance $\pm 2\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance, and royalties of all materials with all labour,labour cess and T & P required for the work complete in all respect as per direction of Engineer-in-Charge	35.31	Cum	4453.90	Rupees Four Thousand Four Hundred FiftyThree Paise Ninety Only	157257.21
8	Fly Ash brick masonry in cement mortar (1:6) in super structure using Fly Ash bricks of 23 x 11 x 8 cm size having a crushing strength of not less than 75 kg./sqcm with dimensional tolerance $\pm 2\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance, royalties and taxes of all materials with all labour,labour cess and T & P required for the work complete in all respect as per direction of Engineer-in-Charge.					
8.1	Ground Floor	37.96	Cum	4492.20	Rupees Four Thousand Four Hundred NinetyTwo Paise Twenty Only	170523.3
8.2	1st Floor	30.60	Cum	4779.90	Rupees Four Thousand Seven Hundred SeventyNine Paise Ninety Only	146264.3
8.3	Head Room(S+1)	13.31	Cum	5110.70	Rupees Five Thousand One Hundred Ten Paise Seventy Only	68023.4
9	Fly Ash brick masonry in cement mortar (1:4) in super structure using Fly Ash bricks of 23 x 11 x 8 cm size having a crushing strength of not less than 75 kg./sqcm with dimensional tolerance $\pm 2\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance, royalties and taxes of all materials with all labour,labour cess and T & P required for the work complete in all respect as per direction of Engineer-in-Charge.					
9.1	Ground Floor	4.38	Cum	4700.80	Rupees Four Thousand Seven Hundred Paise Eighty Only	20589.50
9.2	1st Floor	6.18	Cum	4988.50	Rupees Four Thousand Nine Hundred EightyEight Paise Fifty Only	30828.93

10.6.2	1st Floor	6.13	Cum	8177.10	Rupees Eight Thousand One Hundred SeventySeven Paise Ten Only	501
10.6.3	Head Room(S+1)	0.72	Cum	8931.00	Rupees Eight Thousand Nine Hundred ThirtyOne Only	64
10.7	<b>CHAJJA</b>					
10.7.1	Ground Floor	16.40	Sqm	810.20	Rupees Eight Hundred Ten Paise Twenty Only	132
10.7.2	1st Floor	16.03	Sqm	915.30	Rupees Nine Hundred Fifteen Paise Thirty Only	146
10.7.3	Head Room(S+1)	6.00	Sqm	1041.00	Rupees One Thousand FourtyOne Only	624
10.8	<b>STAIRCASE</b>					
10.8.1	Ground Floor	2.29	Cum	10561.30	Rupees Ten Thousand Five Hundred SixtyOne Paise Thirty Only	2418
10.8.2	1st Floor	2.29	Cum	11796.70	Rupees Eleven Thousand Seven Hundred NinetySix Paise Seventy Only	2701
11	25mm thick CC 1:2:2 with 6mm size CB chips for grading concret over roof slab etc. complete.					
11.1	Ground Floor	15.61	Sqm	310.00	Rupees Three Hundred Ten Only	4839
11.2	1st Floor	70.14	Sqm	340.20	Rupees Three Hundred Fourty Paise Twenty Only	23861
11.3	Head Room(S+1)	10.22	Sqm	375.00	Rupees Three Hundred SeventyFive Only	3832.5
12	Supplying Cutting, straightening coiled or bent up M.S. Rod or tor steel of primary steel producers such as SAIL / TATA / RINL / JINDAL STEEL / SHYAM STEEL (grade Fe-500D) etc. including bending, binding, welding and jointing if necessary and tying the grills and placing in position as required for R.C.C. Work and for providing fan hooks as required, hoisting, lowering, laying including cost, conveyances of M.S. Rod or tor steel and binding wires of 18 to 20 gauge and labour required for the work for bending, binding and tying the grills in all floors with labour cess etc. (payment will be made on standard weight of B.I.S. for M.S. Rods or tor steel only) etc. complete as per specification & direction of Engineer-in-charge.					
12.1	Ground Floor	44.49	Qntl	9378.80	Rupees Nine Thousand Three Hundred SeventyEight Paise Eighty Only	417262.81
12.2	1st Floor	22.06	Qntl	9404.40	Rupees Nine Thousand Four Hundred Four Paise Fourty Only	207461.06
12.3	Head Room	3.38	Qntl	9431.40	Rupees Nine Thousand Four Hundred ThirtyOne Paise Fourty Only	31878.13

	providing 12 mm thick cement plaster with cement mortar of mix (1:6) with screened and washed sharp sand for mortar and finished smooth to the rough surface of walls in all heights after racking out joints including watering and curing, rounding of corners, providing grooves where ever necessary with cost, conveyance, royalties of all materials with cost of all labour,labour cess, T&P, and scaffolding required for the work etc. complete in all respect as directed by the Engineer in charge.					
Ground Floor		166.19	Sqm	148.70	Rupees One Hundred FourtyEight Paise Seventy Only	24712.45
1st Floor		148.72	Sqm	152.20	Rupees One Hundred FiftyTwo Paise Twenty Only	22635.18
3rd Room		87.60	Sqm	155.90	Rupees One Hundred FiftyFive Paise Ninety Only	13656.84
	providing 16 mm thick cement plaster with cement mortar of mix (1:6) with screened and washed sharp sand in all heights after racking out joints including watering and curing, rounding of corners, providing grooves where ever necessary with cost, conveyance, royalties of all materials with cost of all labour,labour cess, T&P, and scaffolding required for the work etc. complete in all respect as directed by the Engineer in charge.					
Ground Floor		431.73	Sqm	212.80	Rupees Two Hundred Twelve Paise Eighty Only	91872.14
1st Floor		351.10	Sqm	218.10	Rupees Two Hundred Eighteen Paise Ten Only	76574.91
3rd Room		31.33	Sqm	223.60	Rupees Two Hundred TwentyThree Paise Sixty Only	7005.39
	providing 6 mm thick cement plaster with cement mortar mix (1:4) with screened and washed sharp sand for mortar and finished smooth to R.C.C. work after closed up chipping & slurry treatment including watering and curing, rounding of corners, providing grooves where ever necessary with cost, conveyance, royalties of all materials with cost of all labour,labour cess, T&P, and scaffolding required for the work etc. complete in all respect as directed by the Engineer in charge.					
Ground Floor		87.38	Sqm	166.00	Rupees One Hundred SixtySix Only	14505.08
1st Floor		72.69	Sqm	170.20	Rupees One Hundred Seventy Paise Twenty Only	12371.84
3rd Room		7.15	Sqm	174.50	Rupees One Hundred SeventyFour Paise Fifty Only	1247.68
	providing fitting and fixing of Al door with anodized Al. door handle of 9202 as vertical member, 9201 as top and 9200 as side and bottom member with frame section No.9221 and 9222 including all cost of labour, T&P, hire of drilling machine, labour charges, etc. complete as per attention of the Engineer-in-charge (Top half glass & bottom half of Board)					

16.1	A) Cost of Al. Frame	51.20	Sqm	411.90	Rupees Four Hundred Eleven Paise Ninety Only	21089.28
16.2	B) Cost of 12mm thick prelaminate board including wastages	1.95	Kg	685.00	Rupees Six Hundred EightyFive Only	1335.75
16.3	C) Cost of 5mm thick Black Glass including wastages	1.95	Sqm	705.70	Rupees Seven Hundred Five Paise Seventy Only	1378.12
17	Supplying, fitting and fixing Vitrified tile in floors of approved make conforming to IS:13755 laid on 20 mm thick cement mortar (1:4) and filling joints with white cement of approved quality including cost of all materials, etc. required for the work all complete as per direction of E.I.C.					
17.1	Ground Floor	75.35	Sqm	976.10	Rupees Nine Hundred SeventySix Paise Ten Only	73549.14
17.2	1st Floor	63.05	Sqm	986.70	Rupees Nine Hundred EightySix Paise Seventy Only	82211.44
18	Fixing Vitrified tiles in dados skirting and risers of steps on 12mm thick CP (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the tiles including cost, carriage, cost of all labour etc. complete.					
18.1	Ground Floor	17.42	Sqm	1086.60	Rupees One Thousand EightySix Paise Sixty Only	18928.57
18.2	1st Floor	9.62	Sqm	1102.40	Rupees One Thousand One Hundred Two Paise Fourty Only	10605.20
19	Supplying, fitting & fixing of Vitrified Industrial floor tiles of premium grade having thickness 8mm to 10mm conforming to IS 4457 of size 30cm x 30cm in floors of approved make laid on 20 mm thick cement mortar (1:4) (1 cement : 4 course sand) and filling joints with slurry including cost of all materials, labour T&P etc required for the work all complete as per direction of the Engineer-in-charge					
19.1	Ground Floor	11.20	Sqm	847.10	Rupees Eight Hundred FourtySeven Paise Ten Only	9487.52
19.2	1st Floor	6.96	Sqm	857.60	Rupees Eight Hundred FiftySeven Paise Sixty Only	5968.90
20	Priming one coat with wall cement primer (water bound) to make an even finished surface in all floors and heights to wall surface of approved make and shade including sand papering, applying putty wherever necessary & cost of scaffolding, staging charges with cost, conveyance, royalties of all materials, cost of all labour, labour cess T&P etc. complete as per the direction of the Engineer-in-charge.					
20.1	Ground Floor	685.30	Sqm	64.30	Rupees SixtyFour Paise Thirty Only	44064.79
20.2	1st Floor					
20.2.1	Inside plaster	423.79	Sqm	65.80	Rupees SixtyFive Paise Eighty Only	27885.38
20.2.2	Outside plaster	148.72	Sqm	66.90	Rupees SixtySix Paise Ninety Only	9949.37
20.3	Head Room					
20.3.1	Inside plaster	38.48	Sqm	67.50	Rupees SixtySeven Paise Fifty Only	2597.40

	87.60	Sqm	69.70	Rupees SixtyNine Paise Seventy Only	6105.72
Finishing plastered surfaces of walls with cement based wall putty (Water based) of approved make and finishing the surface smooth and even by sand papering to receive painting in walls, at all heights with staging wherever necessary with cost, conveyance, of all materials, cost of all labour, labourcess, all T&P etc. required for the work complete in all respect as per the direction of the Engineer-in-charge.					
Ground Floor	431.73	Sqm	70.10	Rupees Seventy Paise Ten Only	30264.27
1st Floor	351.10	Sqm	71.50	Rupees SeventyOne Paise Fifty Only	25103.65
Head Room	31.33	Sqm	73.00	Rupees SeventyThree Only	2287.09
Painting two coats with plastic emulsion paint to make an even finished surface in all floors and heights to wall surface of approved make and shade including sand papering, applying putty wherever necessary & cost ofcaffolding, staging charges with cost, conveyance, taxes of all materials, cost of all labour, labour cess, T&P etc. complete as per the direction of the Engineer-in-charge.					
Ground Floor	519.11	Sqm	85.20	Rupees EightyFive Paise Twenty Only	44228.17
1st Floor	423.79	Sqm	86.90	Rupees EightySix Paise Ninety Only	36827.35
Head Room	38.48	Sqm	88.60	Rupees EightyEight Paise Sixty Only	3409.33
Painting two coats with approved antifungal water bound weather seal paints (ISI) of approved colour, shade on wall surface including sand papering, polishing the surface, cost, conveyances, taxes of all materials and cost of all labour, labour cess with T&P etc, complete as per specification & direction of Engineer-in-charge.					
Ground Floor	166.19	Sqm	78.60	Rupees SeventyEight Paise Sixty Only	13062.53
1st Floor	148.72	Sqm	81.50	Rupees EightyOne Paise Fifty Only	12120.68
Head Room	87.60	Sqm	84.40	Rupees EightyFour Paise Fourty Only	7393.44
Supplying, fitting & fixing in all floors of M.S. grills, grill gates, M.S. gates, garage door, collapsible gates with top and bottom rails, steel windows, critical frames for windows, stair case and parapet railing made out of M.S square bar/ flat including stair case hand railing with 40mm. dia G.I. pipe etc. including painting two coats over a coat of redoxide primer as per approved drawing and design with cost of all materials & labour, taxes, labour cess, T&P, sundries etc. complete in all respect as per specification & direction of the Engineer-in-Charge.					
Ground floor	1130.70	Kg	62.20	Rupees SixtyTwo Paise Twenty Only	70329.54
1st Floor	1074.80	Kg	62.20	Rupees SixtyTwo Paise Twenty Only	66852.56

25	Supplying, fitting and fixing of Stainless steel of 304 grade in hand railing using 50mm dia of 2mm thick circular pipe with Balustrade of size 32mm x 32mm x 2mm @ 0.90mtr. C/C and stainless square pipe bracing of size 32mm x 32mm x 2mm in 3 rows in stair case as per approved design and specification, buffing, polishing etc with cost, conveyance of all materials, cost of all labour, labour cess, T&P etc. required for the work complete in all respect as per direction of the Engineer-in-charge.					
25.1	Ground Floor	86.77	Kg	291.00	Rupees Two Hundred NinetyOne Only	25250.07
25.2	1st Floor	211.91	Kg	291.00	Rupees Two Hundred NinetyOne Only	61665.81
26	Priming one coat with any approved primer (To Receive Enamel paint) including cost of primer & labour to give an even shade excluding cost of primer. (As per A.R. 93/1)					
26.1	Ground Floor	2.83	Sqm	58.00	Rupees FiftyEight Only	164.14
26.2	1st Floor	6.06	Sqm	59.60	Rupees FiftyNine Paise Sixty Only	361.18
27	Painting two coats with approved enamel paints of approved colour, shade over a coat of primer including sand papering, polishing the surface, cost, conveyances of all materials and cost of all labour etc, complete as per specification & direction of E.I.C.					
27.1	Ground Floor	2.83	Sqm	146.70	Rupees One Hundred FortySix Paise Seventy Only	415.16
27.2	1st Floor	6.06	Sqm	150.40	Rupees One Hundred Fifty Paise Forty Only	911.42
28	Providing, fitting and fixing of Al door with anodized Al. door section of 9202 as vertical member, 9201 as top and 9200 as middle and bottom member with frame section No.9221 and tapered clip no. 4660 and the frame to be completed by means of jointing angle no. 1855 including all cost of labour, T&P, hire charges of drilling machine, labour charges, etc. complete as per direction of the Engineer-in-charge (Top to bottom full ACP Board)					
28.1	Cost of Aluminium Frame	127.99	Kg	411.90	Rupees Four Hundred Eleven Paise Ninety Only	52719.08
28.2	Cost of 3mm thick Aluminium Composite Pannel including wastages	9.75	Sqm	203.00	Rupees Two Hundred Three Only	1979.25
29	Supplying, fitting & fixing of 30cm x 30cm/40cm x 40cm special plain/printed series Ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755 in floors laid on 20 mm thick cement mortar (1:4)(1 cement : 4 course sand) and filling joints with slurry including cost of all materials, labour T&P etc. required for the work all complete incl. rubbing as per direction of the Engineer-in-charge					
9.1	Ground Floor	7.62	Sqm	704.52	Rupees Seven Hundred Four Paise FiftyTwo Only	5368.44
9.2	1st Floor	4.83	Sqm	715.10	Rupees Seven Hundred Fifteen Paise Ten Only	3453.93

Supplying, fitting & fixing of 30cm x 20cm/20cm x 20cm special printed series Ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm conforming to IS 13753 in dadoes, setting and risers of steps laid on 12 mm thick cement mortar (1:3) (1 cement : 3 course sand) jointed with slurry mixed with cement to match the shades of the tiles etc. complete including cost of all materials, labour T&P etc. required for the work all complete as per direction of the Engineer-in-charge					
Ground Floor	19.74	Sqm	776.51	Rupees Seven Hundred SeventySix Paise FiftyOne Only	15328.31
1st Floor	26.29	Sqm	792.40	Rupees Seven Hundred NinetyTwo Paise Fourty Only	20832.20
Supplying fitting & fixing of 35mm thick flush door shutters with flush door block board 'A' premium 35mm thick both side teak veneer ply / Allwin) both side laminated with 4 mm thick veneer board (Teak Heritage) (Archid ply/ Green ply ) by using adhesives, with all labour, iron fitting & wooden hinged cleats fitted & fixed complete in all respect, including cost of iron fitting, aluminum fittings, all labours, T&P etc. as per specification approved by the Department & as per direction of E.I.C.	1.95	Sqm	3628.80	Rupees Three Thousand Six Hundred TwentyEight Paise Eighty Only	7076.16
<b>Part-II P.H WORK</b>					
P.H Works: Supplying all materials, labour, T&P and providing and fixing to wall or ceiling and floor pvc pipes conforming to ASTM-D- 1785/89 (Sch-80) and pipe fittings the following nominal borewith clamps including making good the wall, ceiling and floor, testing all complete as per specification and direction of the Engineer-in-charge.					
<b>Ground floor</b>					
0 mm CPVC (sdr-13.5) pipes (Oriplast/Supreme)	25.00	Mtr	207.70	Rupees Two Hundred Seven Paise Seventy Only	5192.50
5 mm CPVC(sdr-13.5) pipes (Oriplast/Supreme)	15.00	Mtr	276.20	Rupees Two Hundred SeventySix Paise Twenty Only	4143.00
2 mm CPVC sdr-13.5 pipes (Oriplast/Supreme)	10.00	Mtr	402.70	Rupees Four Hundred Two Paise Seventy Only	4027.00
<b>1st floor</b>					
0 mm CPVC (sdr-13.5) pipes (Oriplast/Supreme)	20.00	Mtr	213.40	Rupees Two Hundred Thirteen Paise Fourty Only	4268.00
5 mm CPVC(sdr-13.5) pipes (Oriplast/Supreme)	10.00	Mtr	282.20	Rupees Two Hundred EightyTwo Paise Twenty Only	2822.00
2 mm CPVC sdr-13.5 pipes (Oriplast/Supreme)	10.00	Mtr	409.90	Rupees Four Hundred Nine Paise Ninety Only	4099.00
Supplying all materials, labour, T&P and cutting holes through existing brick work including making good the damages in cement mortar (1:4) for taking G.I. Pipes and fittings/ P.V.C. pipes and fittings etc. all complete as per P.H. specification and direction of Engineer-in-charge.					
250 mm thick wall	14.00	Each	54.00	Rupees FiftyFour Only	756.00

34	Supplying all materials, labour, T&P and cutting hole in R.C.C floors, roofs, etc upto 19 cm thick for passing G.I. Pipes / P.V.C pipes and fittings etc and repairing the holes after insertion of pipes etc with cement concrete (1:2:4) including finishing complete so as to make it leak proof as per direction of the Engineer-in-charge.						
34.1	250 mm thick wall	10.00	Each	167.70	Rupees One Hundred SixtySeven Paise Seventy	1677.00	
35	Supplying all materials, labour, T&P and cutting grooves in pucca floors and walls for taking G.I./P.V.C. pipes and making good the damages as per direction of the E.I.C.	70.00	Mtr	194.80	Rupees One Hundred NinetyFour Paise Eighty Only	13636.00	
36	Supplying all materials, labour T&P and fitting and fixing brass/CP fittings of the following nominal bore with supply of all jointing materials complete as per specification and direction of the Engineer-in-charge.						
37	Supplying all materials, labour, T&P and fixing standard sized two way <b>Bib cock</b> of Hindware/Jaquar/Parryware of approved make etc complete including cutting the wall and making good the damages, including cost of all materials complete as per PH specification complete as per direction of Er-in-charge. 15mm dia CP Two way bib cock with Flange.	2.00	Each	971.20	Rupees Nine Hundred SeventyOne Paise Twenty Only	1942.40	
38	Supplying all materials, labour, T&P and fixing standard sized <b>Bib cock</b> of Hindware/Jaquar/Parryware of approved make etc complete including cutting the wall and making good the damages, including cost of all materials complete as per PH specification complete as per direction of Er-in-charge.15mm dia. nominal bore Long body Bib Cock	9.00	Each	872.80	Rupees Eight Hundred SeventyTwo Paise Eighty Only	7855.20	
39	Supplying all materials, labour, T&P and fixing standard sized <b>Bib cock</b> of Hindware/Jaquar/Parryware of approved make etc complete including cutting the wall and making good the damages, including cost of all materials complete as per PH specification complete as per direction of Er-in-charge.15mm dia. nominal bore Short body Bib Cock	3.00	Each	720.20	Rupees Seven Hundred Twenty Paise Twenty Only	2160.60	
40	Supplying all materials, labour, T&P and fixing standard sized 15mm dia <b>angular Stop cock</b> of Hindware/Jaquar/Parryware of approved make etc complete including cutting the wall and making good the damages, including cost of all materials complete as per PH specification complete as per direction of Er-in-charge. 15mm dia CP angle stop cock with wall flange	12.00	Each	715.30	Rupees Seven Hundred Fifteen Paise Thirty Only	8583.60	
41	Supplying all materials, labour, T&P and fixing standard sized <b>pillar cock</b> of Hindware/ Jaquar/ Parryware of approved make etc complete including cutting the wall and making good the damages, including cost of all materials complete as per PH specification and direction of Engineering-in-charge. 15mm dia brass pillar cock	7.00	Each	725.10	Rupees Seven Hundred TwentyFive Paise Ten Only	5075.70	
42	Fixing of 25mm dia Brass / Gun meta ball Valve confirming to IS : 781-1995 of approved make as per specification complete as per direction of Er-in-charge.32mm dia brass or gun metal full way valve (shakti make)	2.00	Each	975.50	Rupees Nine Hundred SeventyFive Paise Fifty Only	1951.00	
43	Fixing of 32mm dia Brass / Gun meta ball Valve confirming to IS : 781-1995 of approved make as per specification complete as per direction of Er-in-charge.32mm dia brass or gun metal full way valve (shakti make)	2.00	Each	1025.30	Rupees One Thousand TwentyFive Paise Thirty Only	2050.60	
44	Fixing of 40mm dia Brass / Gun meta ball Valve confirming to IS : 781-1995 of of approved make as per specification complete as per direction of Er-in-charge. 40mm dia brass or gun metal full way valve(shakti make)	1.00	Each	1327.30	Rupees One Thousand Three Hundred TwentySeven Paise Thirty Only	1327.30	

Contractor

Block Development Officer, Patnagarh

Providing and fixing circular type stainless steel jalli (grating) with hole for floor /nahani trap etc complete as per specification and direction of the Engineer in charge.	7.00	Each	79.00	Rupees SeventyNine Only	553.00
Supplying all materials, labour, T&P and fitting and fixing J-PVC SWR soil waste ventilating pipes and fittings of the following outside diameter conforming to ISI No 13592/1992 to walls with nails, bobbins and wooden plugs or laying in trenches including jointing with supply of approved rubber lubricant by non-heat application method/as per manufacturer's specification, testing, earthwork in excavation in all kinds of soil and refilling of trenches as per specification and direction of the Engineer-In-Charge.					
15mm dia CP Health Faucet of Jaquar 1.2mtr long, 8MM dia Amber deluxe	2.00	Each	766.90	Rupees Seven Hundred SixtySix Paise Ninety Only	1533.80
Supplying all materials, labour, T&P and fitting and fixing J-PVC SWR soil waste ventilating pipes and fittings of the following outside diameter conforming to ISI No 13592/1992 to walls with nails, bobbins and wooden plugs or laying in trenches including jointing with supply of approved rubber lubricant by non-heat application method/as per manufacturer's specification, testing, earthwork in excavation in all kinds of soil and refilling of trenches as per specification and direction of the Engineer-In-Charge.					
110mm diameter U-PVC SWR pipes(Oriplast type-B/Supreme)	12.00	Mtr	569.90	Rupees Five Hundred SixtyNine Paise Ninety Only	6838.80
110mm U-PVC door Tee	7.00	Each	296.70	Rupees Two Hundred NinetySix Paise Seventy Only	2076.90
110mm U-PVC offset	7.00	Each	180.50	Rupees One Hundred Eighty Paise Fifty Only	1263.50
110mm U-PVC door bend	7.00	Each	204.70	Rupees Two Hundred Four Paise Seventy Only	1432.90
110mm U-PVC plain shoe bend	7.00	Each	147.00	Rupees One Hundred FourtySeven Only	1029.00
110mm U-PVC vent cowl	5.00	Each	77.30	Rupees SeventySeven Paise Thirty Only	386.50
110mm P-trap	7.00	Each	299.70	Rupees Two Hundred NinetyNine Paise Seventy Only	2097.90
110mm U-PVC plain bend	7.00	Each	171.30	Rupees One Hundred SeventyOne Paise Thirty Only	1199.10
Supplying all materials,labour T&P and cutting holes through existing brick or laterite masonry wall for taking H.C.I pipes and fittings including making good the damages etc. all complete as per P.H.Specification and direction of the Engineer-In-Charge.					
250mm to 375mm thick wall	5.00	Each	54.00	Rupees FiftyFour Only	270.00
Supplying all materials, labour T&P and and fixing 12.50 liters/10 liters capacity low level flushing cistern of Hindware/Jaquar/Parryware with a pair of cast iron or M.S. brackets complete with fittings such as siphonic arrangements 15mm nominal size brass/pvc ball valve with polythene float CP brass handle,unions and couplings for connection with inlet, outlet and overflow pipes, 32mm dia CP long flush bend, 15mm dia pvc inlet connection pipe including cutting holes and making good the same and connecting the flush bend with cistern and closet and connecting the inlet pipe with suupply main etc all complete as per the specification and direction of the Engineer-in-charge.					
10 Liters capacity PVC cistern with 32mm dia flush bend. Hindware sleek fresh single flush Starwhite, Size 47.6	5.00	Each	1609.00	Rupees One Thousand Six Hundred Nine Only	8045.00

51	Supplying all materials, labour, T&P and fixing vitreous china water closet, squatting pan (Indian type W.C pan/Orrisa pattern squatting pan) of Hindware/ Jaquar/ Parryware duly embedded in cement concrete (1:4:8) using 4cm size hard granite metal including fixing a pair of vitreous china 250mm x 130mm x30mm footrest, fixing 100mm dia HCl 'p' or 's' trap (with/without 50mm dia horn) for water colset squatting pan including jointing the trap with pan in cement mortar (1:1) cutting the floor and mending good the damages etc all complete as per specification and direction of the Engineer-In-Charge.					
51.1	<b>Hindware Orissa Pan cat no 20004 Starwhite. Size-53x41 cm</b>	3.00	Each	2656.40	Rupees Two Thousand Six Hundred FiftySix Paise Forty Only	7969.20
52	Supplying all materials, labour, T&P and fixing the following vitreous china Wash Down Water Closet (Wall hung European type W.C. pan) of Hindware/Jaquar/ Parryware with integral 'p' or 's' trap to the floor with wooden plug and chromium plated pedestal screws including jointing the trap with soil pipe in cement mortar (1:1) fixing plastic seat and cover for wash down water closet with chromium plated brass hinges and rubber buffers including polishing etc all complete as per specification and direction of the Engineer-In-Charge.					
52.1	Wall hung EWC with 'p' / S trap plain <b>FLS-WHT-5351/5201 (S-10) Starwhite type, size-370x650x765 mm.</b>	2.00	Each	10858.00	Rupees Ten Thousand Eight Hundred FiftyEight Only	21716.00
53	Supplying all materials, labour T&P and fixing wash basins of Hindware/Jaquar/Parryware with hole for pillar taps with cast iron or M.S.brackets painted white including cutting holes in walls and making good the damages with supply of wooden plugs, screws and cement etc, fixing pedestal for wash basin recessed at the back for the reception of pipes and fittings, fixing PVC waste pipe of 32mm nominal diameter for wash basin including brass check nut complete, fixing pillar taps capstan head screw down high pressure lettered 'Hot' and 'Cold' with long screws, shanks and back nuts of 15mm dia nominal bore, fixing 15mm dia PVC inlet connection pipe and making connection with pillar cocks and supply mains for wash basin, fixing 32mm dia CP brass waste, etc all complete as per specification and direction of the Engineer-In-Charge.					
53.1	<b>wall hung Wash Basin Size - 550mmx400x830mm</b>	5.00	Each	2325.40	Rupees Two Thousand Three Hundred TwentyFive Paise Fourty Only	11627.00
54	Supplying all materials, labour, T&P and fixing mirror of superior glass mounted on 6mm thick A.C.sheet or plywood sheet and fixed to wooden plugs with CP screws and washers complete as per specification and direction of the Engineer-in-charge.					
54.1	450mmx600mm size B.E.mirror	2.00	Sqm	717.20	Rupees Seven Hundred Seventeen Paise Twenty Only	1434.40
55	Supplying all materials,labour, T&P and fixing standard sized CP towel rail 24" of Hindware/Jaquar/Parryware complete with CP brass brackets fixed to wooden plugs with CP screws as per specification and direction of the Engineer-In-Charge.					
55.1	25mmx600mm long CP towel rail	2.00	Each	1487.10	Rupees One Thousand Four Hundred EightySeven Paise Ten Only	2974.20
56	Supplying all materials, labour, T&P and fixing standard sized Chromium Plated brass towel ring complete with Chromium Plated brass brackets fixed to wooden plugs with Chromium Plated brass screws as per specification and direction of the Engineer in charge.	2.00	Each	1236.12	Rupees One Thousand Two Hundred ThirtySix Paise Twelve Only	2472.24

Supplying all materials, labour, T&P and fixing standard Chromium Plated soap case of Hindware/ Jaquar/ Parryware complete with Chromium Plated brass brackets fixed to wooden plugs with Chromium Plated brass screws as per specification and direction of the Engineer in charge.					
CP Soap Holder	3.00	Each	280.50	Rupees Two Hundred Eighty Paise Fifty Only	841.50
Providing and fixing Salem Stainless steel A ISI (18/8) kitchen sink as per IS : 13983 with C.I. Brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required. a) Kitchen Sink with drain board Nirali make size 90 X 1040 mm bowl depth 178 mm.	2.00	Each	3500.00	Rupees Three Thousand Five Hundred Only	7000.00
Supplying all materials, labour, T&P and fixing 100 mm wall mounted over head shower & Shower arm hardware/Jaquar/Parryware including cutting the wall and making good the damages, including cost of all materials complete as per PH specification and direction of Engineer-in-charge. 100 mm dia CP overhead shower with Arm.	3.00	Each	921.20	Rupees Nine Hundred TwentyOne Paise Twenty Only	2763.60
Supplying all materials, labour, T&P and fixing standard 15mm dia Single lever Concealed Deusch mixer with provision for connection to overhead shower only of hardware/Jaquar/Parryware of approved make etc complete including cutting the wall and making good the damages, including cost of all materials complete as per PH specification complete as per direction of Er-in-charge. Concealed stop cock Jaquar FLR-5227.	3.00	Each	2575.70	Rupees Two Thousand Five Hundred SeventyFive Paise Seventy Only	7727.10
Fixing Rotational moulded Poly Propylene double layer cylindrical vertical water storage tanks confirming to IS 2701-1996 including cutting holes through the tank and fixing mild steel tubes and fitting and providing extra sockets and jam nuts, fixing ball valve etc, including hosting upto a height of 5 mtr above ground level and placing the tank to the required position etc all complete as per specification and direction of the Er-in-charge.					
2000 ltr capacity Double layer cylindrical vertical water storage tanks	1.00	Each	19823.53	Rupees Nineteen Thousand Eight Hundred TwentyThree Paise FiftyThree Only	19823.53
Supplying all materials, labour, T & P and constructing Gully trap chamber of the following inside size with 8 cm thick R.C.C. precast cover slab in CC (1:2:4) mix using 12mm size h.g. chips, foundation concrete (1:4:8) using 40mm size h.g. metal on bed around trap, Fly Ash brickwork in CM (1:6) in P&F and inside 12mm thick cement plastering (1:3) finished with a floating coat of neat cement including fixing 100mm x100mm size gully trap, 150mm x150mm C.I gratig etc. all complete as per approved drawing, specification and direction of Engineer-in-charge.					
250mmx250mm with RCC cover	1.00	Each	1244.30	Rupees One Thousand Two Hundred FortyFour Paise Thirty Only	1244.30
Supplying all materials, labour, T&P and laying in trenches (to level or slope) unplasticized PVC pipes conforming to IS: 4985/2000 of the following outside dia for class-3(0.60mpa) including jointing with supply of approved solvent cement by non-heat application method/as per manufacturer's specification, providing and laying in trench cement concrete (1:4:8) with 40mm size hard granite metal in the Type C-1 standard bedding surrounding or encasing including concrete for bedding and curing etc all complete as per PH specification and direction of the Engineer-in-charge.					
110mm dia u-pvc pipe	10.00	Mtr	563.10	Rupees Five Hundred SixtyThree Paise Ten Only	5631.00

63.2	160mm dia u-pvc pipe	10.00	Mtr	1124.30	Rupees One Thousand One Hundred TwentyFour Paise Thirty Only	11243.00
64	Supplying all materials, labour, T&P and constructing soakway pit of the following size with precast RCC rings joined loose, gravel backing in the rear of well steining, precast RCC cover slab in cement concrete (1:2:4) using 12mm size hg chips fitted with iron lifting handles including cutting hole in the rings for inlet pipe, earthwork in open well excavation in all kinds of soil and refilling of cavity around the pit & painting the iron works, watering, curing, conveyance of all materials to worksite, payment of royalty, taxes etc all complete as per approved specification and direction of the Engineer-In-Charge					
64.1	RCC rings soakway pit 1.2m dia x 2.0m deep	1.00	Each	18986.10	Rupees Eighteen Thousand Nine Hundred EightySix Paise Ten Only	18986.10
65	<b>Sinking of 150mmx125mm dia Tube well by fast drilling Sofasticated Rig.</b>					
65.1	Labour for drilling of perfectly vertical bore holes as specified dia. For a specified depth rock with down the hole hammer drilling rig combination drilling rig as required to soil, the soil condition as per direction of E.I.C including supply of rigs with all accessories, T&P consumable etc for lowering 150mm dia PVC pipes for casing fitted with sockets, washers and without well screen as per the necessity for the soft, medium and hard formation (PCV/GI) casing pipes for the over borden is to be provided by the contractor including lowering and drawing after complete of tube well. <b>Tube well(1No).</b>					
65.1.1	Drilling of 150mm dia. Bore 0.00mtr to 30.00mtr	30.00	Mtr	611.70	Rupees Six Hundred Eleven Paise Seventy Only	18351.00
65.1.2	Drilling of 125mm dia. Bore 30.00mtr to 75.00mtr	30.00	Mtr	611.70	Rupees Six Hundred Eleven Paise Seventy Only	18351.00
65.2	Lowering the following G.I./PVC pipe with or without soltted pipes as per necessity from ground level upto 30.00mtr depth and fitted and fixed in perfectly vertical position including cutting and threading pipes and soltted pipes and supplying and fixing of all jointing materials, T&P etc the top of the casing pipe threaded including piping tube well to prevent entry of foreign materials from above (PVC/G.I) supplied by the contractor (including cost of pipe)					
65.2.1	Lowering of 150mm dia PVC pipes: 00.00 mtr to 29.40mtr	15.00	Mtr	92.20	Rupees NinetyTwo Paise Twenty Only	1383.00
65.3	Cost of 150mm dia PVC pipes: 00.00mtr to 30.00mtr	15.00	Mtr	1469.27	Rupees One Thousand Four Hundred SixtyNine Paise TwentySeven Only	22039.05
65.4	Cleaning & developing the tubewell with their own compressor contineously worked till clean and adiqate discharge is obtained from the tubewell including supply of & use of all necessary equipments and labour as per the direction of E.I.C.	1.00	Each	3297.00	Rupees Three Thousand Two Hundred NinetySeven Only	3297.00
66	<b>1.00 H.P. Single Phase Submersible Pump Set</b>					
66.1	Supplying of ISI Mark 1.00 H.P. Single Phase Verical Submersible Pump Set with discharge of 900-1000 ltr./ hour and a head of 50-60mtr of reputed make like KSB/ Texmo & equivalent including all cost, conveyance and taxes etc all complete as per direction of E-I-C.	1.00	Each	15849.15	Rupees Fifteen Thousand Eight Hundred FourtyNine Paise Fifteen Only	15849.15
66.2	Supplying all labour, T&P and fitting and fixing of 1.00 HP Single phase vetrical Submersible Pump Set with commissioning and testing etc. all complete as per direction of E.I.C.	1.00	Each	1209.50	Rupees One Thousand Two Hundred Nine Paise Fifty Only	1209.50

Supplying fitting and fixing of ISI mark DOL Starter of rated make like BCH or equivalent for 1.00 HP Single phase Submersible Pump including all cost, conveyance and taxes etc all complete as per direction of the E.I.C.	1.00	Each	2809.32	Rupees Two Thousand Eight Hundred Nine Paise ThirtyTwo Only	2809.32
Supplying fitting and fixing of three core flat cable (mm <sup>2</sup> ) of ISI make of reputed company like BCH/ Flex or Equivalent and connecting the pump and starter including all cost, conveyance and taxes etc all complete as per direction of the E.I.C.	50.00	Mtr	58.79	Rupees FiftyEight Paise SeventyNine Only	2939.50
Supplying fitting and fixing of plastic rope MS Well cover, Clamp, stainless steel short piece, bend & socket including all cost, taxes etc all complete as per direction of E.I.C.	1.00	Each	1312.00	Rupees One Thousand Three Hundred Twelve Only	1312.00
Supplying fitting and fixing of HDPE Pipes & pipe fittings making connection to pump set including all cost conveyance and taxes etc all complete as per direction of E.I.C.	50.00	Mtr	95.86	Rupees NinetyFive Paise EightySix Only	4793.00
Supply of all materials, labour, T&P and fitting & fixing of 5 $\sqrt$ automatic voltage stabilizer having range from 50 to 220 Volt suitable to run 1 H.P Submersible pump including electrical connection from the existing lines & with the control panels of the pump set etc. all complete as per specification & direction of E.I.C.	1.00	Each	9375.00	Rupees Nine Thousand Three Hundred SeventyFive Only	9375.00
Supplying and fitting and fixing of deep well India Mark-II hand pump with cast iron cylinder, 12mm to 16mm dia connecting rod made with bright bar of 12mm dia mtr and 16mm dia G.I. Pipe 3.0mtr long with required depth with end of socket of approved rate as per the direction of E.I.C.	1.00	Each	15387.00	Rupees Fifteen Thousand Three Hundred EightySeven Only	15387.00
Earthwork in excavation in all types of soil for site leveling, foundation, pits, trenches and other civil works up to and including 1.5 metre lift and stacking the soil upto a lead of 100 metre and including dewatering, removing slush, shoring and strutting (as required), complete as per specification and as directed by the Engineer-In-Charge.	4.50	Cum	206.80	Rupees Two Hundred Six Paise Eighty Only	930.60
Filling at all depth with available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 15 cm in depth : consolidating each deposited layer by ramming and watering complete (lead upto 100m) as directed by the Engineer-In-charge.	3.02	Cum	57.40	Rupees FiftySeven Paise Forty Only	173.35
Supplying of filling sand in foundation and over areas including watering, ramming, consolidating and dressing, labours, tools, taxes etc. all complete as per the specification and direction of E.I.C.	0.30	Cum	511.30	Rupees Five Hundred Eleven Paise Thirty Only	153.39
Providing and laying plain cement concrete 1:3:6 (1 cement:3 sand: 6 stone aggregate 40mm nominal size) as leveling course in foundation and plinth etc. including tempering, curing, shuttering etc. complete all depth and height.	0.30	Cum	4708.10	Rupees Four Thousand Seven Hundred Eight Paise Ten Only	1412.43
Supplying all materials, labour, T&P and providing cement concrete (1:2:4) with 12m size hard broken granite chips including watering, curing, conveyance of all materials to worksite, payment of royalty, taxes etc all complete as per specification and direction of the Engineer in charge.	0.66	Cum	6107.60	Rupees Six Thousand One Hundred Seven Paise Sixty Only	4031.02



73	Providing, lifting, hoisting and laying Reinforced cement concrete of M-250 grade as per approved designs and drawings having a minimum compressive strength (in work test) 250 Kg. / Square cm. in 15 cm. cubes at 28 days after mixing and test conducted in accordance with I.S. 516 using 12 mm. to 20 mm. size black hard crushed broken granite stone chips and screened and washed sharp sand for mortar of approved quality from approved quarry, washed and cleaned ( 20mm. size chips not to exceeds 25 % ) to be mixed in concrete mixture with Portland slag cement (PSC) including hoisting, lowering, laying and compaction concrete by using vibrators, watering and curing for 28 days, centering and shuttering then after dismantling and removing debris from the work site and finishing the exposed surface smooth providing grooves or beads wherever necessary including cost, conveyance, loading, unloading, royalties and taxes of all materials and cost of all labours, sundries, T & P required of the work etc. complete in all respect as directed by the Engineer-in-Charge. But excluding cost and conveyance of M.S. rods or Tor steel and binding wires and labour charges for straightening, cutting, bending etc. of M.S. rods or tor steel tying the grills and placing in proper position.					
73.1	Base	0.30	Cum	4999.40	Rupees Four Thousand Nine Hundred NinetyNine Paise Fourty Only	1499.82
73.2	Slab	0.26	Cum	7545.00	Rupees Seven Thousand Five Hundred FourtyFive Only	1961.70
74	Supplying, straightening, cutting, bending, placing in position and binding reinforcement steel work in RCC/reinforced brick works as per drawing and specification including preparation of respective bar bending schedule and binding (Binding wire to be used as per the IS code) etc. all complete as per direction of Engineer-In-Charge.Cold Twisted bars, Thermo-Mechanically-treated bars.	0.56	Qntl	9378.80	Rupees Nine Thousand Three Hundred SeventyEight Paise Eighty Only	5252.13
75	First class Fly Ash Brick masonry using F.A. bricks of size 25 cm. x 12 cm. x 8 cm. having crushing strength not less than 75 kg. Per. Sqr. Cm. in cement mortar of mix( 1:6) with ordinary Portland slag cement(PSC) and screened & washed sand for mortar after immersing the bricks for 6 (Six) hours in water before use in Foundation & Plinth including splays cutting, circular moulding, corbelling, chamfering and similar such type of works, watering and curing etc. including cost, conveyance, loading, unloading, royalties and taxes of all materials, cost of all labour, scaffolding, sundries, T&P required for the works etc. complete in all respect as directed by the Engineer-in-Charge.	2.01	Cum	4453.90	Rupees Four Thousand Four Hundred FiftyThree Paise Ninety Only	8952.34
76	12mm cement plaster on internal smooth side of RCC/brick surfaces with cement mortar of mix 1:4 (1 cement : 4 fine sand) including neat cement punning & necessary scaffolding, curing etc. all complete at all floors and all heights.	14.40	Sqm	148.70	Rupees One Hundred FourtyEight Paise Seventy Only	2141.28
77	Providing 16mm. thick cement plaster in all floors at all height with cement mortar of mix (1:6) with OPC 53 grade cement finished smooth to inside smooth surface of brick masonry walls after racking out the joints including watering and curing, rounding of corners etc. complete with cost, coveyance, loading and unloading, royalties and taxes of all materials and cost of all labours, sundries, T&P and scaffolding required for the work etc. complete in all respect as desired by the Engineer in charge.	4.68	Sqm	212.80	Rupees Two Hundred Twelve Paise Eighty Only	995.90
<b>Part-III ELECTRICAL WORK</b>						

Wiring to light point / fan point / exhaust fan at wall bell point with 1.5 sq.mm FR PVC insulated single core multistrand copper conductor.					
cap-A	20.00	Each	420.00	Rupees Four Hundred Twenty Only	8400.00
cap-B	17.00	Each	648.00	Rupees Six Hundred FourtyEight Only	11016.00
cap-C	10.00	Each	934.00	Rupees Nine Hundred ThirtyFour Only	9340.00
of 5/6A Switch & 3Pin 5/6A Socket On Existing Board.	12.00	Each	86.00	Rupees EightySix Only	1032.00
of wiring for 5 / 6 amp socket outlet with 2 x 1.5 sq.mm PVC insulated single core multistrand copper	3.00	Each	560.00	Rupees Five Hundred Sixty Only	1680.00
with Submain wiring in PVC Conduit.					
1.5sq.mm + 1 x 1.5 sq.mm	70.00	Mtr	126.00	Rupees One Hundred TwentySix Only	8820.00
2.5 sq.mm + 1 x 1.5 sq.mm	230.00	Mtr	140.00	Rupees One Hundred Fourty Only	32200.00
4.0 sq.mm + 1 x 1.5 sq.mm	90.00	Mtr	158.00	Rupees One Hundred FiftyEight Only	14220.00
6.0 sq.mm + 1x1.5 sq.mm	30.00	Mtr	189.00	Rupees One Hundred EightyNine Only	5670.00
F of Power plug point	6.00	Each	275.00	Rupees Two Hundred SeventyFive Only	1650.00
F of BK angle Holder ISI Mark.	20.00	Each	59.00	Rupees FiftyNine Only	1180.00
F of 48" A.C Ceiling Fan. Usha/Crompton/Polycab/Bajaj)	11.00	Each	2191.00	Rupees Two Thousand One Hundred NinetyOne	24101.00
S/F of Electronics step Fan Regulator.	11.00	Each	275.00	Rupees Two Hundred SeventyFive Only	3025.00
S/F of 9" Exhust fan (Usha/Bajaj/Crompton)	7.00	Each	1650.00	Rupees One Thousand Six Hundred Fifty Only	11550.00
S/F of Computer Board. 3 nos S.S with wiring	4.00	Each	850.00	Rupees Eight Hundred Fifty Only	3400.00
S/F of 18-20 W LED Tube light fittings. (Havells/Crompton/Orient)	15.00	Each	660.00	Rupees Six Hundred Sixty Only	9900.00
S/F of 12 Watt LED Bulb (Polycab/IB/Havells)	20.00	Each	180.00	Rupees One Hundred Eighty Only	3600.00
S/F of BH fittings with 12 Watt LED bulb	3.00	Each	950.00	Rupees Nine Hundred Fifty Only	2850.00
S/F of 45 Watt LED Street light fitting on roof parapit(Havells/Crompton/Bajaj)	2.00	Each	4500.00	Rupees Four Thousand Five Hundred Only	9000.00
S/F of SP MCB DB 6 way single door.	3.00	Each	1150.00	Rupees One Thousand One Hundred Fifty Only	3450.00
S/F of "B": Series SP MCB.(Havells/Legrand/L&T/HPL)	18.00	Each	157.00	Rupees One Hundred FiftySeven Only	2826.00
S/F of 1x1.5sqmm M.S Cu wire for inverter Wiring.	120.00	Mtr	45.00	Rupees FourtyFive Only	5400.00
S/F of standard Earthing with charcoal and salt.	1.00	Each	2453.00	Rupees Two Thousand Four Hundred FiftyThree	2453.00
Supply & laying of 8 SWG Copper wire.	44.00	Mtr	85.00	Rupees EightyFive Only	3740.00
S/F of 63 Amp ICDP Main switch(Havells/Anchor/Orient)	2.00	Each	2650.00	Rupees Two Thousand Six Hundred Fifty Only	5300.00
S/F of 32Amp ICDP Main switch(Havells/Anchor/Orient)	1.00	Each	2145.00	Rupees Two Thousand One Hundred FourtyFive Only	2145.00
S/F of 6 kg ABC type fire extinguisher	1.00	Nos	3500.00	Rupees Three Thousand Five Hundred Only	3500.00
S/F OF 10 mm <sup>2</sup> Service wair with g.i.wair	80.00	Mtr	65.00	Rupees SixtyFive Only	5200.00

101	Supply and installation of inverter set with 1150 watt UPS, 150 Ah Tubular battery with trolley. (Luminus/Exide/Mictotek)	1.00	Set	38000.00	Rupees ThirtyEight Thousand Only	38000.00
102	Provision for External Electrification(L.S.)	1.00	Each	10000.00	Rupees Ten Thousand Only	10000.00
<b>TOTAL ESTIMATED COST</b>						<b>3856006.01</b>
<b>OR SAY</b>						<b>3856006.00</b>
Total 102 (One hundred two) item only					Rupees ThirtyEight Lakh FiftySix Thousand Six Only	

I M/S \_\_\_\_\_, \_\_\_\_\_ Class Contractor hereby quoted my % (Percentage) rates at \_\_\_\_\_ % (Percentage) in figure and \_\_\_\_\_ % (Percentage) in word ( excess / less/ equal ) to the amount put to tender Rs. /- ( \_\_\_\_\_ ) only.

**Note:**

1. The contractor should not write anything except quoting of percentages and in case anything else regarding tender rate mentioned, the tender is liable to rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digit after the decimal point.

No of Corrections:-

No of over writing:-

No of Pages:-

APPROVED for 88 (eighty eight pages only)



Block Development Officer,  
Patnagarh