



## TERMS, CONDITIONS & SPECIFICATION FOR



### Procurement of "Equipment/Instrument for IPU at DHH/SDH/CHC" under NHM of Balangir District for the Year 2023-24

Name of the District / Health Institution: **CDM & PHO, BALANGIR**  
(HEALTH & F.W. DEPTT., GOVT. OF ODISHA)

#### DATE & TIME OF TENDER SUBMISSION & FINALISATION

RFP No. 201

Date: 09/02/2024

Sealed tenders are invited from registered Firms/Agencies/Private Organizations for Procurement of Equipment/Instruments for Integrated Physiotherapy Unit at DHH/SDHs/CHCs of Balangir district for the year 2023-24.

1	Period Availability of RFP Document	<b>From: <u>Dt. 12.02.2024</u> to <u>Dt. 21.02.2024</u></b> (Downloadable from website: <a href="http://www.balangir.nic.in">www.balangir.nic.in</a> ) <i>In case of any bid amendment and clarification, responsibility lies with the bidders to collect the same from the above mentioned website before last date of submission of tender document and the tender inviting authority shall have no responsibility for any delay / omission on part of the bidder.</i>
2	Last date for submission of Tender & address	<b>Date: - <u>21.02.2024</u>, Time: 5.00 PM</b> <b>Address: CDM &amp; PHO, At/ Po/ Dist.: - Balangir, Pin-767001</b> (Through Speed Post / Registered post / Courier only)
3	Date, time and place of opening of Tender (Technical & Financial Bid)	<b>Technical Bid (cover-A) Opening: Date: <u>23.02.2024</u>, Time-4.00 PM.</b> <b>Financial Bid (cover-B) Opening: Same Day</b> <i>Place of Tender Opening: O/O CDM &amp; PHO, Balangir</i> <i>(Bidders / authorised representative may remain present at the time of opening of tender)</i>

## SALE OF TENDER / BID DOCUMENT

The Bidders have to download the Tender Documents directly from the Website available at [www.balangir.nic.in](http://www.balangir.nic.in). The Tender cost fee of Rs.1000/-(OneThousand) Non-refundable by way of separate Demand Draft drawn in favour of “ZSS MISCELLANEOUS BALANGIR” payable at Balangir should be enclosed along-with the Technical Bid (Cover-A). The Bidders should specifically super scribe, “Supply of Equipment and Instrument for Integrated Physiotherapy Unit at DHH/SDHs/CHCs of Balangir District for the Year 2023-24” on the top left corner of the outer envelope containing Technical Bid (Cover-A) and Price Bid (Cover-B) separately. The Technical Bid (Cover-A) & Financial Bid (Cover-B) should be enclosed by an outer Cover. The Tender cost fee and the EMD amount should be submitted separately in shape of demand drafts in the technical bid. In case of any bid amendment and clarification, responsibility lies with the bidders to collect the same from the website or Central Store, District Head Quarter Hospital, Balangir before last date of submission of tender document and the CDM & PHO, Balangir shall have no responsibility for any delay / omission on part of the bidder.

*Tender Paper Cost:*

Rs.1000  
(Non-refundable)

\*\*\*\*\* The tender paper will be rejected if the bidder changes any clause or Annexure of the bid document downloaded from the website \*\*\*\*\*



**IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERERS**

1.	<b>Mode of Procurement</b>	Through Limited Tender
2.	<b>Purchaser</b>	CDM & PHO, BALANGIR
3.	<b>Consignee</b>	Central Store, District Head Quarter Hospital, Balangir
4.	<b>Delivery Period</b>	Within 30 days from issue of Purchase Order.
5.	<b>Mode of Delivery</b>	By Air / Road / Rail
6.	<b>EMD</b>	Rs.10,000/- (Rupees Ten Thousand) only per tender. The Earnest Money Deposit should be in the shape of demand Draft/Banker's Cheque only in favour of "ZSS MISCELLANEOUS BALANGIR" drawn in any Nationalized / Scheduled Bank payable at BALANGIR. EMD exemption is not permitted except to local SSI units registered in Odisha only. The certificate of EMD exemption to be produced.



**TERMS AND CONDITIONS FOR SUPPLY OF EQUIPMENT AND INSTRUMENT FOR  
INTEGRATED PHYSIOTHERAPY UNIT AT DHH/SDHs/CHCs OF BALANGIR DISTRICT  
FOR 2023-24**

1. Tender Fee of Rs.1000/- (Rupees one thousand only) (Non refundable) should be submitted in shape of Demand Draft issued from a Nationalized Bank in favour of “ZSS Miscellaneous Balangir” Payable at Balangir.
2. EMD of Rs.10,000/- (Rupees Ten thousand only) should be submitted in shape of Demand Draft issued from a Nationalized Bank in favour of “ZSS Miscellaneous Balangir” Payable at Balangir.
3. Copy of valid GST Registration Certificate should be attached with the Tender Documents.
4. Copy of PAN should be attached with the tender documents.
5. Copy of GST Return for the quarter October.2023 to December.2023 should be submitted.
6. Copy of valid Manufacturer authorization in original should be submitted.
7. Copy of valid ISO 9001-2015 certificate of manufacturer should be submitted.
8. Cost of item includes transportation, commissioning, installation and other statutory dues i.e GST etc.
9. Copy No deviation Certificate of the products offered must be submitted.
10. Contact details of service engineers in Odisha must be submitted for future service requirement
11. Experience regarding supply of Medical Equipment/Instruments to Govt. Organization/Corporate Hospital/PSU Hospital/UN Agency during last 3 financial years should be submitted along with Tender document.
12. The supplier should not be blacklisted by any Govt Agencies during the last 3 financial years. Affidavit in Non Judicial Stamp Paper with appropriate value (Rs.20/-) duly certified by Notary shall be produced along with the bid document.
13. Copy of Average Annual Turnover of suppliers of **Rs.20.00 lakhs or more** in the last 3 financial years (2020-21,2021-22 and 2022-23) duly certified by Chartered Accountants in their letter head should be submitted.
14. The undersigned/Committee is not bound to accept the lowest tender rate considering the technical and quality aspect.
15. The goods should be supplied to the FOR Destination and no extra charge for freight should be claimed.
16. The tender document received after due date & time fixed for in the advertisement will not be entertained.



17. If any information or documents furnished by the tender are found to be incorrect or misleading at any stage, the tender will be rejected.
18. All the documents should be attested by the bidder or their authorized signatory in each page with seal.
19. The bidder(s) are to submit their tenders in separate sealed covered envelops for technical bid and price bid by superscribing Cover "A" (Technical Bid) & Cover "B" (Price Bid) and both the sealed covers should be put into a third outer Cover, which should be superscribed as **"LIMITED TENDER ENQUIRY FOR PROCUREMENT OF "EQUIPMENT/INSTRUMENT FOR IPU AT DHH/SDH/CHC" UNDER NATIONAL HEALTH MISSION (NHM) OF BALANGIR DISTRICT"**.
20. The undersigned reserves the right to accept/reject all or any of the bid documents without assigning any reason thereof.
21. The approved rate will be valid for one year from the date of finalisation of the tender.
22. All legal disputes are subject to the jurisdiction of Balangir Courts.

**Other Term & Conditions**

23. Purchase of Tender Document: Tender document is to be obtained by downloading from the website [www.balangir.nic.in](http://www.balangir.nic.in).
24. The bidders downloading the tender document & required to submit the tender fee through Demand Draft along with their tender bid, failing which the tender bid shall be not be considered for qualifying in technical bid.
25. The tender should reach to the undersigned on or before date 21.02.2024 at 5.00 PM through postal (speed post/registered post) service/ Courier Services only in the address **Office of the Chief District Medical & Public Health officer, Balangir, At/Po/Dist.- Balangir, Odisha Pin-767001.**
26. The tenderer or their duly authorized representatives are requested to be present during the opening of the tenders.



### **TENDER FEE**

Tender document fee of Rs.1,000/- (Nonrefundable) in shape of Demand Draft in favour of "ZSS MISCELLANEOUS BALANGIR" from any Nationalized / Scheduled Bank payable at Balangir.

### **EMD MONEY: -**

Earnest Money Deposit of Rs. 10,000/- (Rupees Ten thousand only) (Refundable) in shape of Demand Draft in favour of "ZSS MISCELLANEOUS BALANGIR" from any Nationalized / Scheduled Bank payable at Balangir.

- The EMD of successful bidder is liable to be forfeited if the tendered, revokes any terms of the tender within the validity period.
- EMDs given by unsuccessful bidders will be refunded after opening of financial bid.
- EMD of the successful bidder will be forfeited in case the successful bidder fails to accept/execute the order.
- EMD of successful bidder will be returned after successful completion of terms & condition of supply certificate of all items.
- EMD shall not carry any interest.

### **ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:**

- The C.D.M & P.H.O, Balangir, Odisha reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
- The C.D.M & P.H.O, Balangir, Odisha will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
- The supply should be completed within 30 days from the date of issue of purchase order unless otherwise specified. If no supply is received even after 30 days or 60 days with liquidated damage from the date of issue of the purchase orders from the C.D.M & P.H.O, Balangir, Odisha, such orders will stand cancelled automatically without further notice. The EMD of the approved firm shall be forfeited.
- If the approved supplier fails to execute the supply within the stipulated time, the C.D.M & P.H.O, Balangir, Odisha is empowered to purchase the same items from the L<sub>2</sub> or L<sub>3</sub> supplier.

### **DELIVERY:-**

The approved supplier will deliver the items to the Central Store, DHH/BBMCH Balangir, PIN: 767001.

### **LIQUIDATED DAMAGE :-**

- The C.D.M & P.H.O, Balangir may allow extension for a maximum period of 2 (two) weeks (14 days), after the stipulated date of supply (i.e. 45 days) with a penalty of 0.5% which will be deducted from the purchase order value as "Liquidated Damage", for each week (7 days) upto a maximum 2% on the value of the goods.

- If the supplier fails to complete the supply within the extended period, i.e. 30 days after being allowed by the C.D.M & PHO, Balangir no further purchase order will be placed to the firm for the said item and the concerned firm will be blacklisted for three (3) years from the date of issue of letter for the said item.

**TERMS OF PAYMENT :**

- No advance payments towards cost of material will be made to the tenderer.
- 100% payment will be made after successful supply of the items to the supplying firm.
- No claims shall be made against the C.D.M & P.H.O, Balangir in respect of interest on earnest money deposit or security deposit or any delayed payment or any other deposit.
- Online payment will be released to the supplier through PFMS.



**Chief District Medical & Public Health Officer  
Balangir**

**Format for Affidavit certifying that Entity / Promoter(s) /Director(s)/Partners of Entity are not blacklisted  
(On a Stamp Paper of relevant value)  
Affidavit**

I, M/s. ....(the name of the agency with address of the registered office) hereby certifies and confirm that we or any of our promoter(s) / Director(s) are not barred by Department of Health & FW, Govt. of Odisha / or any other entity of GoO or blacklisted by any State Government or Central Government / Department / Organization in India from participating in Tenders as on the ..... (Date of Signing of this proposal).

We further confirm that we are aware that, our proposal for the captioned Project would be liable for rejection in case any material misrepresentation is made or discovered at any stage of the Bidding Process or thereafter during the agreement period.

Dated this ..... Day of ....., 2024

Authorized Signatory/Signature [In full and initials]:

Name and Title of Signatory:

(Organization Seal)



**TENDER FORMAT**  
**(to be furnished in Cover A-Technical Bid)**

Sl No	Particulars	Documents (Page No)	Submitted	
			Yes	No
1	Tender paper cost (Non-Refundable) @ Rs.1,000/-			
2	Earnest Money Deposit @ Rs.10,000/-			
3	GST Registration No.			
4	Copy of valid PAN			
5	Copy of GST Return for the period October.2023 to December.2023			
6	Copy of valid ISO 9001-2015 certificate of manufacturer			
7	Details of Service Engineers (Name along with Contact Numbers)			
8	Affidavit duly certified by Notary regarding Nonblack listing of the Agency/Firm.			
9	Copy of Manufacturer's Authorization Certificate in original			
10	Copy of Average Annual Turnover of Rs.20.00 lakhs or more during last three financial years (2020-21, 2021-22 and 2022-23) duly signed by the Chartered Accountant.			
11	Experience during the last 3 F.Ys regarding supply of items to any Govt Organization/Corporate Hospital/PSU Hospital/UN Agency) Purchase order in support of shall be submitted.			
12	Copy No deviation Certificate of the products offered			

**DECLARATION**

I / we hereby certify that the terms and conditions, specification etc. given with the tender notice have been read carefully and acceptable to me/us and that the information furnished above is correct to the best of my /our knowledge. I / we understand that in case of any deviation in the above statement / furnishing of forged documents etc. at any stage, our Firm/Agency will be blacklisted and will not have any dealing with your organization in future.

(Signature and seal of the authorized signatory)

Place :

Date :



## Technical Specification:

Sl.No.	Name of the Equipment/Instrument	Product Specification
1	Patient Un-weighing system for gait training	<p><b>Technical Specification:</b></p> <ul style="list-style-type: none"> <li>➤ Un-weighing system: Upto 24'' ideal for sit to stand exercise &amp; Vertical Oscillation</li> <li>➤ Foam padded, with adjustable backrest.</li> <li>➤ Weight Panel: digital display</li> <li>➤ Weight Capacity: 0-200 kg</li> <li>➤ Un weighing Harness: Two Model (small and standard size)</li> <li>➤ Handrails: For patient support, adjustable, and removable.</li> <li>➤ Frame Materials: Stainless steel, 42'' L x 33'' wide inside and fitted, 6'' lockable wheels.</li> </ul> <p><b>Power supply:</b></p> <ul style="list-style-type: none"> <li>➤ The unit should work on single phase power supply of Indian Standard. (220-250 volt &amp; 50 hz)</li> <li>➤ The unit should have inbuilt over voltage protection.</li> </ul> <p><b>Quality Standard:</b></p> <ul style="list-style-type: none"> <li>➤ The model should be USFDA/CE (Notified) approved/CDSCO license/ certification.</li> <li>➤ The manufacturer should be ISO13485 certified.</li> <li>➤ The model should be compliance to electrical safety standards of IEC60601-1.</li> </ul>
2	Suspension Therapy Unit	<p><b>Therapeutic Use:</b> For Active limb mobility exercises for limb paralysis /paresis cases for both upper &amp; lower limb.</p> <p><b>Specification:</b> Suspension Frame Set for complete Suspension with Slings &amp; Ropes. Top Mesh facilitates suspension at any desired point in relation to the patient and as required in each individual case. Set comes complete with Suspension Frame, Gear and Couch.</p> <p><b>SUSPENSION FRAME:</b> Construction: Tubular steel frame with 6mm thick Rod-mesh at Top and on Upper Sides. Legs fitted With Rubber/PVC Shoes. Sizes: Overall sizes 210cm long x 110cm wide at the base, 50cm wide at the top &amp; 190cm high. Finish: Off White/Cream, Powder coated finish.</p> <p><b>SUSPENSION GEAR:</b> Comprising 7 canvas slings (4 Limb, 2 Trunk &amp;   Head), 4 Single Hook Ropes, 2 Single Pulley Ropes, &amp; 2 Double Pulley Ropes with Necessary Hooks &amp; Cleats, 8 Graduated Springs of Different Marked Tension. 2 Ankles Straps and 4 'S' Hooks. 3,</p> <p><b>COUCH:</b> An extra wide foam padded couch for use under Suspension frame.</p>

Handwritten signature and date: 28/09/2021

		<p>Size: 200 cm long x 90 cm wide x 50 cm high, Storage: Couch has a shelf to store suspension accessories. Material : Stainless steel, Warranty: 1 Year</p>
3	<p><b>Muscle Stimulator Unit (FC/GC)</b></p>	<p><b>Clinical Requirement:</b> An electric muscle stimulator (often referred to as an EMS machine or unit) is an electronic device used to deliver electrical impulses to the body, in order to make the muscles contract and use in case of treatment of paresis and paralyse muscles. It also use as a primary diagnostic tool to know the innervated &amp; de-nervated state of muscle.</p> <p><b>Technical Specification:</b></p> <ul style="list-style-type: none"> <li>➤ The device should produce Faradic and Galvanic types of current with variable Pulse width</li> <li>➤ Should have provision for Galvanic &amp; Faradic Curve</li> <li>➤ The unit should have LCD display for therapy type and time along with all user settings infaces.</li> <li>➤ Facility to plot SD Curve and Ionotophoresis</li> <li>➤ Pulse duration, rest period, timer, intensity control Buzzer</li> <li>➤ The unit should have treatment modes: Galvanic, Int.Galvanic, Faradic &amp; Surged Faradic,</li> </ul> <p><b>Galvanic Mode:</b></p> <ul style="list-style-type: none"> <li>➤ Therapeutic time adjustable from 30 — 300 mSec in (1 mSec step)</li> <li>➤ Diagnostic time adjustable from -0.1, 0.3, 1, 3, 10, 30, 100, 300 mSec</li> <li>➤ Frequency : 18 PPM to 3000 PPM</li> <li>➤ Repetition Time : 300 mS to 1 mS</li> </ul> <p><b>Faradic Frequency - 100 PPM</b></p> <ul style="list-style-type: none"> <li>➤ Contraction time: 1 Sec to 9 Sec.</li> <li>➤ Relaxation time: 1 Sec to 9 Sec.</li> <li>➤ Digital display for diagnostic model</li> <li>➤ Patient safety should be available with no output while intensity is high by switching on the machine.</li> </ul> <p><b>Accessories:</b></p> <ul style="list-style-type: none"> <li>➤ Velcro strap of 2" wide and 3 meter long</li> <li>➤ Standard accessories: different electrodes small and large sizes and shapes (two of each size), active electrode of small and large size (tw'o of each size)</li> <li>➤ Both Carbon &amp; steel electrode, 2 different size pen electrode.</li> <li>➤ With attached trolley</li> </ul> <p><b>Power Supply:</b></p> <ul style="list-style-type: none"> <li>➤ The unit should work on single phase power supply of Indian standard.(220-250 volt &amp; 50 hz)</li> <li>➤ The unit should have inbuilt over voltage protection.</li> </ul> <p><b>Quality Standard:</b></p> <ul style="list-style-type: none"> <li>➤ The model should be USFDA /CE (Notified) approved/CDSCO licence/certification.</li> </ul>

		<ul style="list-style-type: none"> <li>➤ The manufacturer should be ISO13485 certified</li> <li>➤ The model should be compliance to electrical safety standards of IEC60601-1</li> <li>➤ Warranty: 1 Year</li> </ul>
4	Parallel Bar, Stair Climber, Quadriceps table	<p><b>Parallel Bar:</b></p> <p><b>Clinical Use:</b> It use for horizontal surface gait training, Coordination training of lower limb in various neurological conditions like paralysis, GBS, Parkinson etc.</p> <p><b>Technical Specification:</b> The parallel bar should be a height adjustable; plat form based one which should be very simple for easy accommodation of multiple patients of age group.</p> <ul style="list-style-type: none"> <li>➤ The handrails should be in single piece, circular in design stainless steel ribbed pipe of minimum diameter 1 1/2".</li> <li>➤ Both the end of the handrails should be fitted with bumpers.</li> <li>➤ The Uprights should be made of heavy gauge square 1 1/2" steel tubes. c All parts should be powder-coated.</li> <li>➤ The uprights are to be fitted on a 1 1/4" thick hard plywood base water and termite resistance. Both end of this platform should be UV curved for obstruction free. The platform should be stain finish. Both the end of the plat form should have two anti-slip threads for none skidding.</li> <li>➤ Safety treads at both ends of platform should be provided for safety of the patient when take turn.</li> <li>➤ Models make it safer for patient to turn</li> </ul> <p><b>Minimum dimension of the structure:</b></p> <ul style="list-style-type: none"> <li>➤ Length of the bar: 10feet</li> <li>➤ Width of the bar: 25" - 28"</li> <li>➤ Height adjustment of the Bar: 26" — 39"</li> <li>➤ The manufacturer should be ISO approved.</li> </ul> <p>Warranty: 1Year</p> <p><b>Stair climbing training unit:</b></p> <p><b>Clinical Use:</b> It use for vertical gait training. Coordination training of lower limb in various neurological conditions like paralysis, GBS. Parkinson etc.</p> <p><b>Technical Specification:</b></p> <ul style="list-style-type: none"> <li>➤ The stair case shall be a Small Up and Down type with 4step UP and 4 step down. The patient can ascend and descend without turning.</li> <li>➤ The stairs are to be 10" of minimum depth.</li> <li>➤ The total length of the stair case should be fitted with two full width rails</li> <li>➤ It should bear a load capacity under normal for all category of patient.</li> <li>➤ Can be easily sifted to any space.</li> </ul>

		<ul style="list-style-type: none"> <li>➤ Dimension:</li> <li>➤ For down four steps: 10"L x 50" W x 6" H</li> <li>➤ For UP four steps : 10"L x 30" W x 4" H</li> <li>➤ The base platform: 24"Lx 30"W x 24" H</li> <li>➤ Complete unit shall be made of good quality Poly Wood of water and termite resistance</li> <li>➤ The supplier should be ISO certified. Warranty: 1Year</li> </ul> <p><b>Quadriceps training unit including weight cuffs &amp; dumbbells:</b></p> <p><b>Clinical Use:</b> Use for strengthening of lower limb and abdominal muscles in cases of paresis, paralysis, post-surgical rehabilitation etc.</p> <p><b>Product Eligibility Criteria:</b></p> <ul style="list-style-type: none"> <li>➤ Manufacturer should be ISO 9001 certified for quality standards.</li> </ul> <p><b>Technical Specifications:</b></p> <ul style="list-style-type: none"> <li>➤ 2 folded top.</li> <li>➤ Should be made up of rectangular CRC frame with epoxy powder coating.</li> <li>➤ Should have facility of arm rest with height adjustment.</li> <li>➤ Should have 2 inch cushion top seat with high quality rexin cover.</li> <li>➤ Should have back rest adjustment with angle range of 5 to 90 degree with locking facility.</li> <li>➤ The torque unit should have two lever arms with one adjustable weight and other one providing fixed contact with patient.</li> <li>➤ Should have facility of changing the angle between two arms for providing maximum resistance at any point in the range.</li> <li>➤ Should have height adjustment facility for torque unit with locking facility.</li> <li>➤ Load range should be with maximum 100kg.</li> <li>➤ Should provide 6 no. of rubber weights of 0.05,1,1.5,2,3Kg.</li> </ul>
5	<p><b>Diagnostic Set like X-ray viewer/stethoscope/BP apparatus, Inch tape, Gonio meter, Knee Hammer, etc.</b></p>	<p><b>BP apparatus:</b></p> <ul style="list-style-type: none"> <li>➤ Technique: Aneroid Shock proof</li> <li>➤ Latex free, Light weight ; easy to carry</li> <li>➤ Range of BP monitoring : up to 300mm Hg with a accuracy of +3Hg</li> <li>➤ The housing of the meter should be made of good quality thermoplastic/ corrosion proof aluminium alloy.</li> <li>➤ The insufflations bulb should be made of good quality material and should allow rapid insufflations.</li> <li>➤ The pressure release valve should permit precise</li> </ul>

		<p>release of pressure and also allow fast deflation.</p> <ul style="list-style-type: none"> <li>➤ Micro filter must provide to protect air release valve and measuring system. Spoon-shaped grip made of stainless steel.</li> <li>➤ The device should be shock resistant</li> <li>➤ Should be supplied with a good quality carrying case</li> <li>➤ Should be supplied with following reusable cuffs: Child, and Adult.</li> <li>➤ The cuff should be latex free. The cuff surface should be easily cleanable by wash. The equipment should have comprehensive warrants for 3 years. The calibration should be for 3 years free.</li> <li>➤ The instruments should be CE marked (certificate to be submitted in technical bid)</li> <li>➤ Manufacturer should be ISO 13485 approved. Warranty: 1Year</li> </ul> <p><b>X ray-reader/X-ray view Box: use for X-ray viewing.</b></p> <p><b>Single plate X-ray viewing screen:</b></p> <ul style="list-style-type: none"> <li>➤ LED lamps controlled by dimming ballasts</li> <li>➤ Control luminance without flicker</li> <li>➤ Uniform level of illumination across the entire front panel</li> <li>➤ Sealed flush with the inside face of the operating theatre wall</li> <li>➤ Spring loaded clips to secure the X-ray Minimum lamp hour: 30000hr</li> <li>➤ Colour temperature should be of minimum: 4500K</li> </ul> <p>Warranty: 1Year</p> <p><b>Gonio-meter &amp; Knee hammer: Use for measurement of joint range of motion.</b></p> <ul style="list-style-type: none"> <li>➤ 3 different size Goniometer to accurately measure the axis and range of motion in a particular joint.</li> <li>➤ Manufactured from clear toughened plastic for unrivalled durability. Knee hammer</li> </ul>
--	--	--

*Handwritten signature*

**FINANCIAL BID**

**(to be furnished in Cover B-Finance Bid)**

Sl. No.	Name of the Item	Unit Cost (in Rs.) (including all charges & statutory dues i.e GST)
1	Patient Un-weighing system for gait training	
2	Suspension Therapy Unit	
3	Muscle Stimulator Unit (FC/GC)	
4	Parallel Bar	
5	Stair Climber	
6	Quadriceps table	
7	Diagnostic Set (Comprises of following): - (Rate for each item to be mentioned)	
	A) X-ray viewer	
	B) Stethoscope	
	C) BP apparatus	
	D) Inch tape	
	E) Gonio meter	
	F) Knee Hammer	

**Signature of Bidder**

**(With Seal)**

  
28/2/2021